

Cat.No.	Product	Unit	price unit in CHF	price > 20 units in CHF
A 2212	Penicillin/Streptomycin 10.000 U/10.000 µg/ml	50 ml	23,4	21,6
A 2213	Penicillin/Streptomycin 10.000 U/10.000 µg/ml	100 ml	31,2	28,8
A 2612	Amphotericin B, 250 µg/ml	50 ml	68,1	62,1
A 2712	Gentamycin 10 mg/ml	50 ml	109,6	99,0
A 2912	G-418 BC selective antibiotic, liquid, sterile, 50 mg/ml	50 ml	145,9	131,4
A 291-25	G-418 BC selective antibiotic, cristalline	10 g	410,1	369,9
C 1-22	Collagenase type I, CLS I	1 g	566,7	510,3
C 1-28	Collagenase type I, CLS I	100 mg	91,7	82,8
C 2-22	Collagenase type II, CLS II	1 g	566,7	510,3
C 2-28	Collagenase type II, CLS II	100 mg	91,7	82,8
C 3-22	Collagenase type III, CLS III	1 g	566,7	510,3
C 3-28	Collagenase type III, CLS III	100 mg	91,7	82,8
C 4-22	Collagenase type IV, CLS IV	1 g	566,7	510,3
C 4-28	Collagenase type IV, CLS IV	100 mg	91,7	82,8
F 0315	MEM with Earle's Salts with 0.85 g/l NaHCO3	500 ml	24,8	22,5
F 0325	MEM with Earle's Salts with 2.2 g/l NaHCO3	500 ml	24,8	22,5
F 0345	MEM with Hanks' Salts with 0.35 g/l NaHCO3	500 ml	24,8	22,5
F 0385	MEM with Earle's Salts without NaHCO3, without phenol red	500 ml	32,4	29,7
F 0405	DMEM with 3.7 g/l NaHCO3, without Glucose	500 ml	27,9	25,2
F 0415	DMEM with 3.7 g/l NaHCO3, with 1.0 g/l Glucose	500 ml	23,4	21,6
F 0425	DMEM w 3.7 g/l NaHCO3, w 4.5 g/l Glucose, w/o L-Glutamine, w/o Na-Pyruvate, w. 25 mM HEPES	500 ml	43,7	39,6
F 0435	DMEM with 3.7 g/l NaHCO3, with 4.5 g/l Glucose	500 ml	24,8	22,5
F 0445	DMEM with 4.5 g/l Glucose, with sodium pyruvate	500 ml	24,8	22,5
F 0455	DMEM (10x) with 4.5 g/l Glucose, without NaHCO3	500 ml	32,4	29,7
F 0465	Iscove's Medium, not compl., w 15 mg/l phenol red, w 3.024 g/l NaHCO3	500 ml	34,3	31,5
F 0475	DMEM with 4.5 g/l Glucose, with Na-Pyruvat, without phenol red	500 ml	24,8	22,5
F 0525	Glasgow-MEM with 2.75 g/l NaHCO3	500 ml	41,7	37,8
F 0615	Medium 199 with Earle's Salts, with 2.2 g/l NaHCO3	500 ml	28,3	26,1
F 0665	Medium 199 with Earle's Salts, with 20 mM HEPES, without NaHCO3	500 ml	46,4	42,3
F 0715	Ham's F-10 with 10 mg/l phenol red, with 1.2 g/l NaHCO3	500 ml	23,4	21,6
F 0723	Ham's F-10 w/o phenol red, w 1.2 g/l NaHCO3, w 10 mM HEPES	100 ml	23,4	21,6
F 0815	Ham's F-12 with 10 mg/l phenol red, with 1.176 g/l NaHCO3	500 ml	28,7	26,1
F 0855	Coon's F-12 mod. with 2.5 g/l NaHCO3, without L-Glutamine	500 ml	34,3	31,5
F 0915	Alpha Medium with 2.0 g/l NaHCO3 with nucleosides	500 ml	68,1	62,1
F 0925	Alpha Medium with 2.0 g/l NaHCO3 without nucleosides	500 ml	47,2	43,2
F 1015	Mc-COY's 5 A mod. Medium with 2.2 g/l NaHCO3	500 ml	37,4	34,2
F 1115	Williams' Medium E with 2.2 g/l NaHCO3, without L-Glutamine	500 ml	46,4	42,3
F 1125	Williams' Medium E w 2.2 g/l NaHCO3, w/o L-Glutamine, w/o phenol red	500 ml	46,4	42,3
F 1213	RPMI 1640 with 2.0 g/l NaHCO3, without L-Glutamine	100 ml	20,9	18,9
F 1215	RPMI 1640 with 2.0 g/l NaHCO3, without L-Glutamine (also available as "low endotoxin")	500 ml	26,1	24,3
F 1235	RPMI 1640 with 20 mM HEPES, without NaHCO3	500 ml	34,3	31,5
F 1275	RPMI 1640 with 2.0 g/l NaHCO3 without phenol red	500 ml	31,0	28,8
F 1295	RPMI 1640 with 2.0 g/l NaHCO3, with 5 mg/l phenol red	500 ml	31,0	28,8
F 1315	L-15 Leibovitz Medium	500 ml	34,5	31,5
F 1415	VLE-RPMI 1640 (very low endotoxin)	500 ml	30,4	27,9

Cat.No.	Product	Unit	price unit in CHF	price > 20 units in CHF
F 2270	Biofreeze (Freezing Medium)	25 ml	80,0	72,0
F 4315	MEM with Earle's Salts with 20 mM HEPES, without NaHCO3	500 ml	38,0	35,1
F 4815	DMEM/Ham's F-12 ( 1:1)	500 ml	26,9	24,3
F 5023	Chromosome medium B with Phytohemagglutinin (PHA) E	100 ml	77,4	70,2
F 8023	TNB 100 Medium (use with supplement F 8820)	100 ml	30,4	27,9
F 8055/1	HybridoMed DIF 1000 serum free medium, for 5% CO2 concentration	500 ml	35,9	32,4
F 8105	MCDB 153 Basal Medium without L-Glutamine	500 ml	39,4	36,0
F 8205	<i>sebomed Basal Medium Sebocyte Medium</i>	500 ml	83,5	75,6
F 8820	TNB 100, Lipid-Protein-Complex (necessary for 100 ml TNB 100)	2,5 ml	29,3	27,0
F 9061-01	ISF-1 medium for the cultivation of hybridoma cells (antibody production)	1000 ml	72,2	65,7
FG 0325	MEM with Earle's Salts with 2.2 g/l NaHCO3, with stable glutamine	500 ml	24,8	22,5
FG 0415	DMEM with 3.7 g/l NaHCO3, with 1.0 g/l Glucose, with stable glutamine	500 ml	26,9	24,3
FG 0435	DMEM with 3.7 g/l NaHCO3, with 4.5 g/l Glucose, with stable glutamine	500 ml	26,9	24,3
FG 0445	DMEM with 4.5 g/l Glucose, with sodium pyruvate, with stable glutamine	500 ml	26,9	24,3
FG 0465	Iscove's Medium, not compl, w 15 mg/l phenol red, w 3.024 g/l NaHCO3, w stab. Glutamin	500 ml	35,9	32,4
FG 0615	Medium 199 with Earle's Salts, with 2.2 g/l NaHCO3, with stable glutamine	500 ml	31,0	28,8
FG 0715	Ham's F-10 with 10 mg/l phenol red, with 1.2 g/l NaHCO3, with stable glutamine	500 ml	25,2	23,4
FG 0815	Ham's F-12 w 10 mg/l phenol red, w 1.176 g/l NaHCO3, w stable glutamine	500 ml	25,2	23,4
FG 1215	RPMI 1640 w 2.0 g/l NaHCO3, w stable glutamine (also as "low endotoxin")	500 ml	31,2	28,8
FG 1235	RPMI 1640 w/o NaHCO3, w 20 mM HEPES, w stable glutamine	500 ml	37,4	34,2
FG 1383	RPMI 1640 w 2.0 g/l NaHCO3, 25 mM HEPES, 5.5 g/l NaCl, 5 mg/l phenol red, stable glutamine	100 ml	22,6	20,7
FG 1385	RPMI 1640 with 2.0 g/l NaHCO3, 25 mM HEPES, 5.5 g/l NaCl, 5 mg/l phenol red, stable glutamine	500 ml	34,3	31,5
FG 1415	VLE-RPMI 1640 (very low endotoxin) with stable glutamine	500 ml	31,8	28,8
FG 1445	VLE DMEM (very low endotoxin) with 4,5 g/l Glucose, with 3,7 g/l NaHCO3, with Na-Pyruvate, with stab. glut.	500 ml	28,5	26,1
FG 4815	DMEM/Ham's F-12 ( 1:1) with stable glutamine	500 ml	27,3	25,2
K 0282	L-Glutamine (200 mM)	50 ml	18,5	17,1
K 0283	L-Glutamine (200 mM)	100 ml	28,3	26,1
K 0293	Non-essential amino acids (NEA) (100 x)	100 ml	19,1	18,0
K 0302	L-alanyl-L-glutamine, 200 mM (stable glutamine)	50 ml	40,2	36,9
L 0015	Aqua bidest., sterile, for HPLC	500 ml	19,1	18,0
L 0020	Aqua bidest., sterile, for HPLC	1 l	29,4	27,0
L 0030	Aqua bidest., not sterile	5 l	68,4	62,1
L 0040	Aqua bidest., not sterile	10 l	96,9	87,3
L 0473	Sodium pyruvate 100 mM	100 ml	15,6	14,4
L 1603	HEPES powder substance	100 g	136,3	123,3
L 1613	HEPES buffer solution (1M) (50x)	100 ml	111,3	100,8
L 1703	Sodium bicarbonate NaHCO3 powder substance	100 g	21,1	19,8
L 1713	Sodium bicarbonate (7.5%) NaHCO3	100 ml	21,1	19,8
L 1820	PBS Solution without Ca2+, M2+	1000 ml	28,3	26,1
L 182-01	PBS-powder substance without Ca2+, Mg2+	1 l	21,1	19,8
L 182-05	PBS-powder substance without Ca2+, Mg2+	5 l	18,3	17,1

Cat.No.	Product	Unit	price unit in CHF	price > 20 units in CHF
L 182-10	PBS-powder substance without Ca <sup>2+</sup> , Mg <sup>2+</sup>	10 l	27,7	25,2
L 182-50	PBS-powder substance without Ca <sup>2+</sup> , Mg <sup>2+</sup>	50 l	109,0	98,0
L 1825	PBS Solution without Ca <sup>2+</sup> , Mg <sup>2+</sup>	500 ml	24,8	22,5
L 1825-500	PBS Solution without Ca <sup>2+</sup> , Mg <sup>2+</sup> , not sterile	5 l	102,0	91,8
L 1835	PBS Solution (10x) without Ca <sup>2+</sup> , Mg <sup>2+</sup>	500 ml	74,3	67,5
L 1915	Earle's Saline Solution (EBSS) with 2.2 g/l NaHCO <sub>3</sub>	500 ml	29,4	27,0
L 201-01	Hanks' Salts powder substance without NaHCO <sub>3</sub>	1 l	9,6	9,0
L 201-10	Hanks' Salts powder substance without NaHCO <sub>3</sub>	10 l	34,3	31,5
L 2015	Hanks' Saline Solution (HBSS) with 0.35 g/l NaHCO <sub>3</sub>	500 ml	24,8	22,5
L 2035	Hanks' Saline Solution (HBSS) without phenol red, with 0.35 g/l NaHCO <sub>3</sub>	500 ml	24,8	22,5
L 2045	Hanks' Saline Solution (HBSS) without Ca <sup>2+</sup> , Mg <sup>2+</sup> , without phenol red, with 0.35 g/l NaHCO <sub>3</sub>	500 ml	24,8	22,5
L 2055	Hanks' Saline Solution (HBSS) without Ca <sup>2+</sup> , Mg <sup>2+</sup> , with phenol red, with 0.35 g/l NaHCO <sub>3</sub>	500 ml	24,8	22,5
L 2103-20G	Trypsin powder substance	20 g	222,5	200,7
L 2113	EDTA (Versen) 1% in PBS without Ca <sup>2+</sup> , Mg <sup>2+</sup>	100 ml	19,1	18,0
L 2123	Trypsin (1:250) 0.25% in PBS without Ca <sup>2+</sup> , Mg <sup>2+</sup>	100 ml	31,0	28,8
L 2133	Trypsin (1:250) 2.5% in PBS without Ca <sup>2+</sup> , Mg <sup>2+</sup>	100 ml	37,4	34,2
L 2143	Trypsin/EDTA solution (0.05%/0.02%) in PBS without Ca <sup>2+</sup> , Mg <sup>2+</sup>	100 ml	32,4	29,7
L 2153	Trypsin/EDTA Solution (10x) 0.5%/0.2% in (10x) PBS, without Ca <sup>2+</sup> , Mg <sup>2+</sup>	100 ml	45,2	41,4
L 2163	Trypsin/EDTA solution 0.25%/0.02% in PBS, without Ca <sup>2+</sup> , Mg <sup>2+</sup>	100 ml	42,7	38,7
L 2193	Biotase	100 ml	61,6	55,8
L 2223	Papain Solution (6.25 mg/l)	100 ml	31,0	28,8
L 6113	Biocoll-Separating Solution, density 1.077 g/ml isoton	100 ml	49,5	45,0
L 6115	Biocoll-Separating Solution, density 1.077 g/ml isoton	500 ml	157,8	142,2
L 6155	Biocoll-Separating Solution, density 1.10 g/ml isoton	500 ml	256,4	231,3
L 6221	Colcemid, 10 µg/ml in PBS without Ca, Mg	25 ml	58,9	53,1
L 6231	Colcemid, 10 µg/ml in HBSS	25 ml	58,9	53,1
L 6413	KCI solution (hypotonic) 0.075 M	100 ml	16,6	15,3
L 6715	Biocoll-Separating Solution, density 1.077 g/ml, buffered with 10 mM HEPES	500 ml	157,8	142,2
L 7213	Collagen G	100 ml	478,1	431,1
L 7220	Collagen A, 1 mg/ml	1 x (6 x 5 ml)	148,2	134,1
P DHC-N01	Cell-Chip counting chamber new product number 505050	1 box (50 pc.)	166,7	100
S 0613	FBS Superior; standardized Fetal Bovine Serum, EU-approved	100 ml	82,0	upon request
S 0615	FBS Superior; standardized Fetal Bovine Serum, EU-approved	500 ml	245,0	upon request
T 031-01	MEM-Powder Medium with Earle's Salts	1 l	21,1	19,8
T 031-10	MEM-Powder Medium with Earle's Salts	10 l	31,8	28,8
T 032-05	MEM-Powder Medium with Hanks' Salts	5 l	34,3	31,5
T 032-10	MEM-Powder Medium with Hanks' Salts	10 l	49,5	45,0
T 032-50	MEM-Powder Medium with Hanks' Salts	50 l	250,0	225,0
T 041-01	DMEM Powder Medium with 1.0 g/l Glucose	1 l	21,1	19,8
T 041-10	DMEM Powder Medium with 1.0 g/l Glucose	10 l	31,8	28,8
T 043-01	DMEM Powder Medium with 4.5 g/l Glucose, without sodium pyruvate	1 l	21,1	19,8

Cat.No.	Product	Unit	price unit in CHF	price > 20 units in CHF
T 043-10	DMEM Powder Medium with 4.5 g/l Glucose, without sodium pyruvate	10 l	31,8	28,8
T 061-01	Medium 199 - Powder Medium with Earle's Salts	1 l	9,6	9,0
T 061-10	Medium 199 - Powder Medium with Earle's Salts	10 l	40,2	36,9
T 071-01	Ham's F-10 Powder Medium	1 l	9,6	9,0
T 071-10	Ham's F-10 Powder Medium	10 l	40,2	36,9
T 121-01	RPMI 1640 - Powder Medium	1 l	9,6	9,0
T 121-10	RPMI 1640 - Powder Medium	10 l	34,3	31,5
T 437-10	MEM-Powder Medium with Earle's Salts, with non-essential amino acids	10 l	34,3	31,5
T 481-01	DMEM/Ham's F-12 (1:1) Powder Medium with 4.5 g/l Glucose	1 l	12,3	11,7
T 481-10	DMEM/Ham's F-12 (1:1) Powder Medium with 4.5 g/l Glucose	10 l	31,8	28,8

prices in CHF excl. VAT 7,7% ex works Schaffhausen

Preise in CHF exkl. MWST 7,7% ab Werk Schaffhausen

delivery time one week / Lieferzeit 1 Woche \* Min. Quantity lower price / Mindestmenge für Mengenpreis

freezing/cooling surcharge CHF 20.- per delivery / Gefrier/Kühlzuschlag CHF 20.- per Lieferung / during summer time July - August plus CHF 30.-

purchase orders more than CHF 200.- product value NO admin. surcharge CHF 30.- per delivery

Bestellungen ab CHF 200.- Warenwert ohne Administrations Zuschlag von CHF 30.- pro Lieferung

General terms on [www.bioswisstec.com](http://www.bioswisstec.com) / prices may change without further notice

Allgemeine Geschäftsbedingungen unter [www.bioswisstec.com](http://www.bioswisstec.com) / Preise können angepasst werden