

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P30-1501	<b>Fetal bovine serum</b> , South Africa Premium, Virus and mycoplasma tested	100 ml	-20°C	20,10	18,50
P30-1502	<b>Fetal bovine serum</b> , South Africa Premium, Virus and mycoplasma tested	500 ml	-20°C	77,50	71,30
P30-1505	<b>Fetal bovine serum</b> , South Africa, Virus and mycoplasma tested	100 ml	-20°C	18,30	16,90
P30-1506	<b>Fetal bovine serum</b> , South Africa, Virus and mycoplasma tested	500 ml	-20°C	68,80	63,30
P30-3030	<b>Fetal bovine serum</b> , South America, Premium Virus and mycoplasma tested "Supreme"	100ml	-20°C	42,30	39,00
P30-3031	<b>Fetal bovine serum</b> , South America, Premium Virus and mycoplasma tested "Supreme"	500ml	-20°C	109,90	101,20
P30-3301	<b>Fetal bovine serum</b> , South America, Premium Virus and mycoplasma tested	100 ml	-20°C	67,60	62,20
P30-3302	<b>Fetal bovine serum</b> , South America, Premium Virus and mycoplasma tested	500 ml	-20°C	169,00	155,50
P30-3305	<b>Fetal bovine serum</b> , South America, Virus and mycoplasma tested	100 ml	-20°C	50,70	46,70
P30-3306	<b>Fetal bovine serum</b> , South America, Virus and mycoplasma tested	500 ml	-20°C	118,30	108,90
P30-8100	<b>FBS</b> , EU Professional from EU approved regions, filtrated bovine serum, Virus and mycoplasma tested	100 ml	-20°C	16,80	15,50
P30-8500	<b>FBS</b> , EU Professional from EU approved regions, filtrated bovine serum, Virus and mycoplasma tested	500 ml	-20°C	62,40	57,50
P40-1401	<b>FBS Biotech</b> , US origin tested according EMEA 1793 and Ph.Eur.2262	100 ml	-20°C	110,4	101,60
P40-1402	<b>FBS Biotech</b> , US origin tested according EMEA 1793 and Ph.Eur.2263	500 ml	-20°C	324,9	298,90
P40-1301	<b>FBS Biotech</b> , Australia origin tested according EMEA 1793 and Ph.Eur.2264	100 ml	-20°C	558,9	514,20
P40-1302	<b>FBS Biotech</b> , Australia origin tested according EMEA 1793 and Ph.Eur.2265	500 ml	-20°C	1676,9	1542,80
P30-0401	<b>Calf serum - newborn</b> , Virus and mycoplasma tested	100 ml	-20°C	23,50	21,70
P30-0402	<b>Calf serum - newborn</b> , Virus and mycoplasma tested	500 ml	-20°C	67,50	62,10
P30-0601	<b>Bovine serum</b> , Virus and mycoplasma tested	100 ml	-20°C	15,10	13,90
P30-0602	<b>Bovine serum</b> , Virus and mycoplasma tested	500 ml	-20°C	40,40	37,20
P40-37100	<b>FBS Good</b> , EU approved, filtrated bovine serum, Virus and mycoplasma tested	100 ml	-20°C	32,00	29,50
P40-37500	<b>FBS Good</b> , EU approved, filtrated bovine serum, Virus and mycoplasma tested	500 ml	-20°C	75,90	69,90
P40-38100	<b>FBS Good</b> , US origin, filtrated bovine serum Virus and mycoplasma tested	100 ml	-20°C	59,20	54,50
P40-38500	<b>FBS Good</b> , US origin, filtrated bovine serum Virus and mycoplasma tested	500 ml	-20°C	169,00	155,50
P40-39100	<b>FBS Good</b> , Australia origin, filtrated bovine serum, Virus and mycoplasma tested	100 ml	-20°C	99,80	91,90
P40-39500	<b>FBS Good</b> , Australia origin, filtrated bovine serum, Virus and mycoplasma tested	500 ml	-20°C	287,30	264,40
P40-47100	<b>FBS Good Forte</b> , EU approved, filtrated bovine serum, Virus and mycoplasma tested	100 ml	-20°C	16,90	15,60
P40-47500	<b>FBS Good Forte</b> , EU approved, filtrated bovine serum, Virus and mycoplasma tested	500 ml	-20°C	59,20	54,50
P40-48100	<b>FBS Good Forte</b> , US origin, filtrated bovine serum, Virus and mycoplasma tested	100 ml	-20°C	67,60	62,20
P40-48500	<b>FBS Good Forte</b> , US origin, filtrated bovine serum, Virus and mycoplasma tested	500 ml	-20°C	177,50	163,30
P40-49100	<b>FBS Good Forte</b> , Australia origin, filtrated bovine serum, Virus and mycoplasma tested	100 ml	-20°C	118,20	108,80
P40-49500	<b>FBS Good Forte</b> , Australia origin, filtrated bovine serum, Virus and mycoplasma tested	500 ml	-20°C	304,20	279,90
P30-3701	<b>Sera Plus</b> , Special processed, Virus and mycoplasma tested	100 ml	-20°C	32,00	29,50
P30-3702	<b>Sera Plus</b> , Special processed, Virus and mycoplasma tested	500 ml	-20°C	75,90	69,90

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P30-5100	<b>Sera Pro</b> , FBS, Low Endotoxin, Virus and mycoplasma tested	100 ml	-20°C	75,90	69,90
P30-5500	<b>Sera Pro</b> , FBS, Low Endotoxin, Virus and mycoplasma tested	500 ml	-20°C	167,00	153,70
P30-2601	<b>Pansera ES</b> , special designed bovine serum for embryonal stem cells	100 ml	-20°C	59,00	54,30
P30-2602	<b>Pansera ES</b> , special designed bovine serum for embryonal stem cells	500 ml	-20°C	158,70	146,10
P30-2101	<b>Fetal bovine serum</b> , EU approved, dialyzed	100 ml	-20°C	52,30	48,20
P30-2102	<b>Fetal bovine serum</b> , EU approved, dialyzed	500 ml	-20°C	182,40	167,90
P30-2301	<b>Fetal bovine serum</b> , EU approved, activated charcoal absorbed	100 ml	-20°C	75,80	69,80
P30-2302	<b>Fetal bovine serum</b> , EU approved, activated charcoal absorbed	500 ml	-20°C	244,90	225,40
P30-3601	<b>Fetal bovine serum</b> , EU approved, tetracyclin-free	100 ml	-20°C	60,70	55,90
P30-3602	<b>Fetal bovine serum</b> , EU approved, tetracyclin-free	500 ml	-20°C	1688,40	1553,40
P30-3401	<b>Fetal bovine serum</b> , EU approved, delipidized	100 ml	-20°C	118,30	108,90
P30-3402	<b>Fetal bovine serum</b> , EU approved, delipidized	500 ml	-20°C	513,60	472,60
P30-2001	<b>Fetal bovine serum</b> gamma irradiated	100 ml	-20°C	65,00	59,80
P30-2002	<b>Fetal bovine serum</b> gamma irradiated	500 ml	-20°C	135,00	124,20
P30-0301	<b>Chicken serum</b>	100 ml	-20°C	26,90	24,80
P30-0302	<b>Chicken serum</b>	500 ml	-20°C	81,00	74,60
P30-0101	<b>Donkey serum</b>	100 ml	-20°C	81,00	74,60
P30-0102	<b>Donkey serum</b>	500 ml	-20°C	270,40	248,80
P30-0701	<b>Horse serum</b>	100 ml	-20°C	27,10	25,00
P30-0702	<b>Horse serum</b>	500 ml	-20°C	81,20	74,80
P30-0801	<b>Lamb serum</b>	100 ml	-20°C	47,40	43,70
P30-0802	<b>Lamb serum</b>	500 ml	-20°C	167,20	153,90
P30-0200	<b>Mouse serum</b>	10 ml	-20°C	47,40	43,70
P30-0201	<b>Mouse serum</b>	100 ml	-20°C	422,50	388,70
P30-0901	<b>Pig serum</b>	100 ml	-20°C	27,10	25,00
P30-0902	<b>Pig serum</b>	500 ml	-20°C	81,00	74,60
P30-1101	<b>Rabbit serum</b>	100 ml	-20°C	27,10	25,00
P30-1102	<b>Rabbit serum</b>	500 ml	-20°C	81,20	74,80
P30-01901	<b>Rat serum</b>	10 ml	-20°C	82,90	76,30
P30-01901E	<b>Rat serum</b>	100 ml	-20°C	422,50	388,70
P30-4101	<b>Sheep serum</b>	100 ml	-20°C	27,10	25,00
P30-4102	<b>Sheep serum</b>	500 ml	-20°C	81,20	74,80
P30-1001	<b>Goat serum</b>	100 ml	-20°C	27,10	25,00
P30-1002	<b>Goat serum</b>	500 ml	-20°C	81,20	74,80

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P30-2401	<b>Human Serum</b>	100 ml	-20°C	101,40	93,30
P30-2402	<b>Human Serum</b>	500 ml	-20°C	422,50	388,70
P30-2901	<b>Human Serum Type AB, Male</b>	100 ml	-20°C	160,60	147,80
P30-2902	<b>Human Serum Type AB, Male</b>	500 ml	-20°C	828,10	761,90
P40-2701	<b>Human Serum off-the-clot, Type AB, Male</b>	100 ml	-20°C	253,50	233,30
P40-2702	<b>Human Serum off-the-clot, Type AB, Male</b>	500 ml	-20°C	1014,00	932,90
P30-2701	<b>Human Serum off-the-clot</b>	100 ml	-20°C	253,50	233,30
P30-2702	<b>Human Serum off-the-clot</b>	500 ml	-20°C	1014,00	932,90
P04-95700	<b>PANEXIN NTA</b> - Puregrade chemically defined FCS-substitute for adherent Cells, New Technology	100 ml	-20°C	55,80	51,40
P04-95750	<b>PANEXIN NTA</b> - Puregrade chemically defined FCS-substitute for adherent Cells, New Technology	500 ml	-20°C	169,00	155,50
P04-95800	<b>Panexin NTS</b> - Chemically defined Serum Substitute for non-adherent Cells in Suspension - New Technology	100 ml	-20°C	55,80	51,40
P04-95850	<b>Panexin NTS</b> - Chemically defined Serum Substitute for non-adherent Cells in Suspension - New Technology	500 ml	-20°C	169,00	155,50
P04-951SA2	<b>PANEXIN BMM</b> - High grade serum substitute for macrophages	100 ml	-20°C	185,80	171,00
P04-710401M	<b>PANSERIN 401</b>	100 ml	+2°C - +8°C	12,70	11,70
P04-710401	<b>PANSERIN 401</b>	500 ml	+2°C - +8°C	38,10	35,10
P04-710411M	<b>PANSERIN 411</b>	100 ml	+2°C - +8°C	59,20	54,50
P04-710411	<b>PANSERIN 411</b>	500 ml	+2°C - +8°C	59,00	54,30
P04-7411S0	<b>PANSERIN 411S</b>	100 ml	+2°C - +8°C	23,50	21,70
P04-7411S1	<b>PANSERIN 411S</b>	500 ml	+2°C - +8°C	72,60	66,80
P04-71411S	<b>PANSERIN 411S</b>	1 L	+2°C - +8°C	109,70	101,00
P04-710412M	<b>PANSERIN 412</b>	100 ml	+2°C - +8°C	33,80	31,10
P04-710412	<b>PANSERIN 412</b>	500 ml	+2°C - +8°C	101,40	93,30
P04-710413	<b>PANSERIN 413</b> with 1 supplement	500 ml	+2°C - +8°C / -20°C	118,20	108,80
P04-710416	<b>PANSERIN 416</b> with 1 supplement	500 ml	+2°C - +8°C / -20°C	363,20	334,20
P04-710608M	<b>PANSERIN 293A</b> - Serum-free medium for HEK-Cells in adherent culture	100 ml	+2°C - +8°C	33,70	31,10
P04-710608	<b>PANSERIN 293A</b> - Serum-free medium for HEK-Cells in adherent culture	500 ml	+2°C - +8°C	104,80	96,50
P04-710609M	<b>PANSERIN 293S</b> - Serum-free medium for HEK-Cells in suspension culture	100 ml	+2°C - +8°C	37,20	34,30
P04-710609	<b>PANSERIN 293S</b> - Serum-free medium for HEK-Cells in suspension culture	500 ml	+2°C - +8°C	104,80	96,50
P04-714000M	<b>PANSERIN H4000</b> - Proteinfree medium for many cells (e.g Hybridoma)	100 ml	+2°C - +8°C	37,20	34,30
P04-714000	<b>PANSERIN H4000</b> - Proteinfree medium for many cells (e.g Hybridoma)	500 ml	+2°C - +8°C	104,80	96,50
P04-718000M	<b>PANSERIN H8000</b> - Proteinfree medium for cholesterol dependent cells	100 ml	+2°C - +8°C	37,20	34,30
P04-718000	<b>PANSERIN H8000</b> - Proteinfree medium for cholesterol dependent cells	500 ml	+2°C - +8°C	104,80	96,50
P04-716000M	<b>PANSERIN C6000</b> - Proteinfree medium for CHO-cells in suspension	100 ml	+2°C - +8°C	37,20	34,30
P04-716000	<b>PANSERIN C6000</b> - Proteinfree medium for CHO-cells in suspension	500 ml	+2°C - +8°C	104,80	96,50

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-710110	<b>Panserin T3</b> - Serum-free medium for 3T3A cells in suspension	100 ml	+2°C - +8°C	37,20	34,30
P04-710100	<b>Panserin T3</b> - Serum-free medium for 3T3A cells in suspension	500 ml	+2°C - +8°C	104,80	96,50
P04-710613M	<b>Panserin ProVero</b> - w: L-Glutamine	100 ml	+2°C - +8°C	37,20	34,30
P04-710113	<b>Panserin ProVero</b> - w: L-Glutamine	500 ml	+2°C - +8°C	104,80	96,50
P04-710210	<b>Panserin S2</b> - Proteinfree media for drosophila S2 cells	100 ml	+2°C - +8°C	37,20	34,30
P04-710200	<b>Panserin S2</b> - Proteinfree media for drosophila S2 cells	500 ml	+2°C - +8°C	104,80	96,50
P04-710701M	<b>PANSERIN 701</b> - Serum-free medium for Lymphocytes	100 ml	-20°C	37,20	34,30
P04-710701	<b>PANSERIN 701</b> - Serum-free medium for Lymphocytes	500 ml	-20°C	104,80	96,50
P04-710801	<b>PANSERIN 801</b> w: 6 Supplements - Serum-free medium for human Keratinocytes	500 ml	+2°C - +8°C	143,70	132,30
P04-710PX10	<b>PANSERIN PX10</b> - Serum-free medium for antibody-producing Myeloma cells	500 ml	+2°C - +8°C	104,80	96,50
P04-710PX40	<b>PANSERIN PX40</b> - Serum-free medium for many adherent cells	500 ml	+2°C - +8°C	104,80	96,50
P04-850100	<b>SPODOPAN</b> - Proteinfree medium for Insect-cells	100 ml	+2°C - +8°C	37,20	34,30
P04-850500	<b>SPODOPAN</b> - Proteinfree medium for Insect-cells	500 ml	+2°C - +8°C	104,80	96,50
P04-00650	<b>Endopan 300 SL</b> - Serum-free medium for HUVEC and endothelial cells, ready-to-use	500 ml	+2°C - +8°C	557,70	513,10
P04-0065K	<b>Endopan 300 SL</b> - Serum-free medium for HUVEC and endothelial cells	500 ml	+2°C - +8°C	557,70	513,10
P04-21050	<b>Alpha MEM Eagle</b> , without L-Glutamine, without Ribonucleosides, without Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,50	7,90
P04-21150	<b>Alpha MEM Eagle</b> , without L-Glutamine, with Ribonucleosides, with Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	27,10	25,00
P04-21500	<b>Alpha MEM Eagle</b> , with L-Glutamine, with Ribonucleosides, with Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	10,70	9,90
P04-21250	<b>Alpha MEM Eagle</b> , with stab. Glutamine, with Ribonucleosides, with Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,70	12,70
P04-21060	<b>Alpha MEM Eagle</b> , without L-Glutamine, without Ribonucleosides, without Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,90	12,80
P04-21350	<b>Alpha MEM Eagle</b> , with stab. Glutamine, without Ribonucleosides, without Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,20	13,10
P04-21502	<b>Alpha MEM Eagle</b> , with L-Glutamine, without Glucose, with Ribonucleosides, with Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	50,30	46,30
P04-21051	<b>Alpha MEM Eagle</b> , with L-Glutamine, without Phenol red, without Ribonucleosides, without Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	50,30	46,30
P03-2410	<b>Alpha MEM Eagle</b> , without L-Glutamine, with Ribonucleosides, with Deoxyribonucleosides, without NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
p03-2450	<b>Alpha MEM Eagle</b> , without L-Glutamine, with Ribonucleosides, with Deoxyribonucleosides, without NaHCO <sub>3</sub>	50 l	+2°C - +8°C	221,30	203,60
P03-2510	<b>Alpha MEM Eagle</b> , with L-Glutamine, with Ribonucleosides, with Deoxyribonucleosides, without NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
P03-2550	<b>Alpha MEM Eagle</b> , with L-Glutamine, with Ribonucleosides, with Deoxyribonucleosides, without NaHCO <sub>3</sub>	50 L	+2°C - +8°C	221,30	203,60
P03-2310	<b>Alpha MEM Eagle</b> , with L-Glutamine, without Ribonucleosides, without Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	10 L	+2°C - +8°C	42,50	39,10
P03-2350	<b>Alpha MEM Eagle</b> , with L-Glutamine, without Ribonucleosides, without Deoxyribonucleosides, with 2.2g/L NaHCO <sub>3</sub>	50 L	+2°C - +8°C	133,00	122,40
P03-2610	<b>Alpha MEM Eagle</b> , with L-Glutamine, with 25 mM Hepes, with Ribonucleosides, with Deoxyribonucleosides, without NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,00	48,80
P03-2650	<b>Alpha MEM Eagle</b> , with L-Glutamine, with 25 mM Hepes, with Ribonucleosides, with Deoxyribonucleosides, without NaHCO <sub>3</sub>	50 L	+2°C - +8°C	214,40	197,30
P04-26050	<b>BME with HBSS</b> , without L-Glutamine, with 0.35 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,70	12,70
P04-25050	<b>BME with EBSS</b> , without L-Glutamine, with 2.2 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-25500	<b>BME with EBSS</b> , without L-Glutamine, with 2.2 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40



Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-84600	<b>CMRL - 1066</b> , without L-Glutamine, without Phenol red, with 2.2 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	21,20	19,60
P04-84500	<b>CMRL - 1066</b> , with L-Glutamine, without Phenol red, with 2.2 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	22,90	21,10
P04-01548S1	<b>DMEM</b> w/o: Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,30	7,70
P04-01549	<b>DMEM</b> w/o: Glucose, w/o: L-Glutamine, w: Sodium pyruvate w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	10,40	9,60
P04-01551	<b>DMEM</b> w/o: Glucose, w: L-Glutamine, w: Sodium pyruvate w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,20	12,20
P04-01548	<b>DMEM</b> w/o: Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,10	8,40
P03-0010	<b>DMEM</b> w/o: Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	41,00	37,80
P03-0050	<b>DMEM</b> w/o: Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	204,50	188,20
P04-01500	<b>DMEM</b> w: 1,0 g/l Glucose, w/o: L-Glutamine, w: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,60	7,00
P04-01550	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,80	8,10
P04-02500	<b>DMEM</b> w: 1,0 g/l Glucose, w: stab. Glutamine, w: Sodium pyruvate,	500 ml	+2°C - +8°C	6,40	5,90
P04-03556	<b>DMEM</b> w: 1,0 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	13,00	12,00
P04-01159	<b>DMEM</b> w: 1,0 g/l Glucose, w/o: L-Glutamine, w: Sodium pyruvate, w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,00	12,00
P04-01515	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,40	7,80
P04-02500S1	<b>DMEM</b> w: 1,0 g/l Glucose, w: stab. Glutamine, w: Sodium pyruvate,	500ml	+2°C - +8°C	13,50	12,50
P04-01516	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,10	12,10
P04-05551	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: 25 mM Hepes, w: Sodiumpyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,20	8,50
P04-01555	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,10	12,10
P04-01501	<b>DMEM</b> w: 1,0 g/l Glucose, w/o: L-Glutamine, w: Sodium pyruvate, w/o: Calcium, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,00	13,80
P04-02501	<b>SILAC-DMEM</b> w: 1.0 g/L Glucose, w: stab. Glutamine, w: sodium pyruvate, w/o: L-Arginin, w/o: L-Lysin, w: 3.7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,50	14,30
P03-0510	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	26,50	24,40
P03-0550	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	99,20	91,30
P03-01510	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	27,90	25,70
P03-01550	<b>DMEM</b> w: 1,0 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	104,60	96,30
P04-03500	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	5,70	5,30
P04-03600	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	5,70	5,30
P04-03550	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	6,00	5,60
P04-03590	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	5,80	5,40
P04-04500	<b>DMEM</b> w: 4,5 g/l Glucose, w: stab. Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	7,80	7,20
P04-04510	<b>DMEM</b> w: 4,5 g/l Glucose, w: stab. Glutamine, w: Sodium pyruvate,	500 ml	+2°C - +8°C	6,80	6,30
P04-01161	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	8,70	8,10
P04-01158	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w: Sodium pyruvate, w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,80	8,10
P04-03591	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,10	6,60
P04-03591S1	<b>DMEM</b> w: L-Glutamine, w/o: Tryptphan, w: 1.2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	44,20	40,70

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-05540	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: 25 mM Hepes, w/o: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,80	8,10
P04-05550	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: 25 mM Hepes, w: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,90	8,20
P04-04550	<b>DMEM</b> w: 4,5 g/l Glucose, w: stab. L-Glutamine, w: 25 mM Hepes, w/o: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,20	13,10
P04-05545	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w: 25 mM Hepes, w/o: Phenol red, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P04-03588	<b>DMEM</b> w: 4,5 g/l Glucose, w: stab. Glutamine, w: Sodium pyruvate,	500 ml	+2°C - +8°C	13,90	12,80
P04-01597	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w: 25 mM Hepes, w: Sodium pyruvate, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P04-03510	<b>DMEM</b> (10 x) w: 4,5 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	19,00	17,50
P04-03598	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: L-Arginine, w: 3,7 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,00	13,80
P04-04057	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: 25 mM Hepes, w/o: Sodium pyruvate, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P04-03560	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w/o: Natriumchloride, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,00	13,80
P04-03596	<b>DMEM</b> w: 4,5 g/l Glucose, w: 4,0 mM L-Glutamine, w: Sodium pyruvate,	500 ml	+2°C - +8°C	17,60	16,20
P04-03551	<b>DMEM</b> w: 5,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	13,20	12,20
P04-01163	<b>DMEM</b> w: 4,5 g/l Glucose, w: stab. Glutamine, w: Sodium pyruvate,	500 ml	+2°C - +8°C	14,20	13,10
P04-03503	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	500 ml	+2°C - +8°C	10,80	10,00
P04-19050	<b>DMEM-Running Medium</b> w/o: Gluc., w/o: NaHCO <sub>3</sub> , w: Hepes	500 ml	+2°C - +8°C	14,10	13,00
P03-6510	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	10 L	+2°C - +8°C	27,90	25,70
P03-6550	<b>DMEM</b> w: 4,5 g/l Glucose, w/o: L-Glutamine, w/o: Sodium pyruvate,	50 L	+2°C - +8°C	104,60	96,30
P03-0710	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	22,90	21,10
P03-0750	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	88,60	81,60
P03-0810	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	22,90	21,10
P03-0850	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	88,60	81,60
P03-0910	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	44,10	40,60
P03-0950	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w/o: Sodium pyruvate, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	176,30	162,20
P03-1010	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	44,10	40,60
P03-1050	<b>DMEM</b> w: 4,5 g/l Glucose, w: L-Glutamine, w: Sodium pyruvate, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	176,30	162,20
P04-41450	<b>DMEM/F12</b> (1:1), w/o: L-Glutamine, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,30	6,80
P04-41500	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,10	6,60
P04-41150	<b>DMEM/F12</b> (1:1), w: stab. Glutamine, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,70	8,10
P04-41550	<b>DMEM/F12</b> (1:1), w/o: L-Glutamine, w: 15 mM Hepes, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,60	8,90
P04-41250	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 15 mM Hepes, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,30	6,80
P04-41250S1	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 15 mM Hepes, w/o: Phenol red, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,60	13,50
P04-41252	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 25 mM Hepes, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,20	13,10
P04-41151	<b>DMEM/F12</b> (1:1), w/o: L-Glutamine, w/o: Glucose, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,40	14,20
P04-41650	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w/o: Phenol red, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,70	12,70

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-41251	<b>DMEM/F12</b> (1:1), w: stab. Glutamine, w: 15 mM Hepes, w/o: Calcium chloride, w: 1,2 g/l NaHCO <sub>3</sub>	500ml	+2°C - +8°C	14,40	13,30
P03-6010	<b>DMEM/F12</b> (1:1), w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	28,30	26,10
P03-6050	<b>DMEM/F12</b> (1:1), w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	106,30	97,80
P03-1110	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	28,30	26,10
P03-1150	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	106,30	97,80
P03-6110	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 15 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	35,40	32,60
P03-6150	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 15 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	115,20	106,00
P03-1210	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	42,50	39,10
P03-1250	<b>DMEM/F12</b> (1:1), w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	124,10	114,20
P04-97500	<b>Glasgow-MEM (BHK 21)</b> , w/o: L-Glutamine, w/o: Tryptose phosphate,	500 ml	+2°C - +8°C	12,60	11,60
P04-98500	<b>Glasgow-MEM (BHK 21)</b> , w: L-Glutamine, w: Tryptose phosphate,	500 ml	+2°C - +8°C	33,20	30,60
P04-96500	<b>Glasgow-MEM (BHK 21)</b> , w: L-Glutamine, w: Tryptose phosphate,	500 ml	+2°C - +8°C	14,20	13,10
P03-3110	<b>Glasgow-MEM (BHK 21)</b> , w/o: L-Glutamine, w/o: Tryptose phosphate,	10 L	+2°C - +8°C	31,80	29,30
P03-3150	<b>Glasgow-MEM (BHK 21)</b> , w/o: L-Glutamine, w/o: Tryptose phosphate,	50 L	+2°C - +8°C	124,10	114,20
P03-6910	<b>Glasgow-MEM (BHK 21)</b> , w: L-Glutamine, w/o: Tryptose phosphate,	10 L	+2°C - +8°C	31,80	29,30
P03-6950	<b>Glasgow-MEM (BHK 21)</b> , w: L-Glutamine, w/o: Tryptose phosphate,	50 L	+2°C - +8°C	124,10	114,20
P03-6810	<b>Glasgow-MEM (BHK 21)</b> , w: L-Glutamine, w: Tryptose phosphate,	10 L	+2°C - +8°C	121,90	112,20
P03-6850	<b>Glasgow-MEM (BHK 21)</b> , w: L-Glutamine, w: Tryptose phosphate,	50 L	+2°C - +8°C	154,90	142,60
P04-81500	<b>Grace's Insect Medium</b> , w/o: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,50	16,10
P04-82500	<b>Grace's Insect Medium</b> , w: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,50	16,10
P03-9010	<b>Grace's Insect Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	86,80	79,90
P03-9050	<b>Grace's Insect Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	255,40	235,00
P03-9110	<b>Grace's Insect Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	86,80	79,90
P03-9150	<b>Grace's Insect Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	255,40	235,00
P04-12050	<b>Ham's F10 Medium</b> , w/o: L-Glutamine, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-12500	<b>Ham's F10 Medium</b> , w: L-Glutamine, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,10	8,40
P04-13500	<b>Ham's F10 Medium</b> , w: stab. Glutamine, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,60	12,60
P04-13050	<b>Ham's F10 Medium</b> , w: L-Glutamine, w: 25 mM Hepes, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,80	12,70
P04-12049	<b>Ham's F10 Medium</b> , w/o: L-Glutamine, w/o: Phenol red, w: 1,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	50,30	46,30
P03-5010	<b>Ham's F-10 Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	19,20	17,70
P03-5050	<b>Ham's F-10 Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	72,30	66,60
P03-3910	<b>Ham's F-10 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	24,70	22,80
P03-3950	<b>Ham's F-10 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	88,60	81,60
P03-4010	<b>Ham's F-10 Medium</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	35,40	32,60

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P03-4050	<b>Ham's F-10 Medium</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	124,10	114,20
P04-14550	<b>Ham's F12 Medium</b> , w/o: L-Glutamine, w: 1,176 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,10	8,40
P04-14500	<b>Ham's F12 Medium</b> , w: L-Glutamine, w: 1,176 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,10	8,40
P04-14501	<b>Ham's F12 Medium</b> , w: L-Glutamine, w/o: Phenol red, w: 25 mM Hepes.	500 ml	+2°C - +8°C	25,40	23,40
P04-15500	<b>Ham's F12 Medium</b> , w: stab. Glutamine, w: 1,176 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,10	7,50
P04-14559	<b>Ham's F12 Medium</b> , w/o: L-Glutamine, w/o: Phenol red, w: 1,176 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-15600	<b>Ham's F12K Medium</b> , w: L-Glutamine, w: 2,5 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,60	12,60
P04-15601	<b>Ham's F12K Medium</b> , w: L-Glutamine, 1,5 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	26,60	24,50
P03-4110	<b>Ham's F12 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	24,70	22,80
P03-4150	<b>Ham's F12 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	88,60	81,60
P04-20250	<b>IMDM</b> , w/o: L-Glutamine, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,00	7,40
P04-20350	<b>IMDM</b> , w: L-Glutamine, w: 3,024 NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	12,80	11,80
P04-20050	<b>IMDM</b> , w/o: L-Glutamine, w: 25 mM Hepes, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	11,20	10,40
P04-20150	<b>IMDM</b> , w: L-Glutamine, w: 25 mM Hepes, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,90	7,30
P04-20450	<b>IMDM</b> , w: stab. Glutamine, w: 25 mM Hepes, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,70	13,60
P04-20451	<b>IMDM</b> , w: stab. Glutamine, w: 25 mM Hepes, w/o: Phenol red, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,50	13,40
P04-20259	<b>IMDM</b> , w/o: L-Glutamine, w: 1,0 g/l Glucose, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,40	14,20
P04-20451S1	<b>IMDM</b> , w: stab. Glutamine, w: 25 mM Hepes, w/o: Phenol red, 315 mOsm, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,40	14,20
P04-20150S2	<b>IMDM</b> , w: L-Glutamine, w: 25 mM Hepes, 320 mOsm, w: 3,024 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,00	12,90
P04-20351	<b>IMDM</b> , w: L-Glutamine, w: 1,5 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P03-5210	<b>IMDM</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	88,60	81,60
P03-5250	<b>IMDM</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	248,30	228,50
P03-1310	<b>IMDM</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	88,60	81,60
P03-1350	<b>IMDM</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	248,30	228,50
P03-1410	<b>IMDM</b> w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
P03-1450	<b>IMDM</b> w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	163,10	150,10
P04-85600	<b>IPL-41 Insect Medium</b> , w: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	16,50	15,20
P03-9210	<b>IPL-41 Insect medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	124,10	114,20
P03-9250	<b>IPL-41 Insect medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	354,80	326,50
P04-21300	<b>Jokliik-MEM</b> , Hepes Medium, w: L-Glutamine, w: 3,6 g/l Hepes	500 ml	+2°C - +8°C	13,40	12,40
P04-21200	<b>Jokliik-MEM</b> , modified for spinner culture, w: EBSS (modified), w/o: L-Glutamine, w/o: Antibiotica, w/o: Calcium chloride, w: 2,0	500 ml	+2°C - +8°C	13,40	12,40
P03-02010P	<b>Jokliik-MEM</b> , modified for spinner culture, w: EBSS (modified), w/o: L-Glutamine.	10 L	+2°C - +8°C	88,60	81,60
P03-02050P	<b>Jokliik-MEM</b> , modified for spinner culture, w: EBSS (modified), w/o: L-Glutamine.	50 L	+2°C - +8°C	266,00	244,80
P04-27055	<b>Leibovitz's L-15 Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	11,20	10,40



Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-27500	<b>Leibovitz's L-15 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,50	7,90
P04-27050	<b>Leibovitz's L-15 Medium</b> , w: stab. Glutamine, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,10	15,80
P04-27054	<b>Leibovitz's L-15 Medium</b> , w/o: L-Glutamine, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	50,30	46,30
P03-1510	<b>Leibovitz's L-15 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	58,40	53,80
P03-1550	<b>Leibovitz's L-15 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	177,30	163,20
P03-1610	<b>Leibovitz's L-15 Medium</b> , w: L-Glutamine, w: 25 mM HEPES, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	88,60	81,60
P03-1650	<b>Leibovitz's L-15 Medium</b> , w: L-Glutamine, w: 25 mM HEPES, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	248,30	228,50
P04-05500	<b>Mc Coy's 5A Medium (modified)</b> , w: L-Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	12,00	11,10
P04-06500	<b>Mc Coy's 5A Medium (modified)</b> , w: stab. Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	12,20	11,30
P04-05050	<b>Mc Coy's 5A Medium (modified)</b> , w: L-Glutamine, w: 25 mM HEPES,	500 ml	+2°C - +8°C	17,70	16,30
P04-05610	<b>Mc Coy's 5A Medium (modified)</b> , w/o: L-Glutamine, w/o: Phenol red,	500 ml	+2°C - +8°C	53,10	48,90
P03-1710	<b>McCoy's 5A Medium (modified)</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	37,10	34,20
P03-1750	<b>McCoy's 5A Medium (modified)</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	113,40	104,40
P03-1810	<b>McCoy's 5A Medium (modified)</b> , w: L-Glutamine, w: 25 mM HEPES,	10 L	+2°C - +8°C	58,40	53,80
P03-1850	<b>McCoy's 5A Medium (modified)</b> , w: L-Glutamine, w: 25 mM HEPES,	50 L	+2°C - +8°C	177,30	163,20
P04-80057	<b>MCDB 131</b> , w/o: L-Glutamine, w: 1,18 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,20	14,00
P04-80053	<b>MCDB 131</b> , w: L-Glutamine, w: 1,176 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	19,70	18,20
P04-80054	<b>MCDB 131</b> , w/o: Glutamine, w: 25 mM HEPES, w: 1,176 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	54,10	49,80
P04-07500	<b>M199 w: EBBS</b> , w/o L-Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,10	8,40
P04-07050	<b>M199 w: EBSS</b> , w: L-Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-07250	<b>M199 w: EBSS</b> , w: stab. Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P04-07150	<b>M199 w: EBSS</b> , w: L-Glutamine, w: 25 mM HEPES, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	16,20	15,00
P03-1910	<b>M199 w: EBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
P03-1950	<b>M199 w: EBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	195,10	179,50
P04-07753	<b>M199 w: HBSS</b> , w/o: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-07450	<b>M199 w: HBSS</b> , w: L-Glutamine, w: 25 mM HEPES, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	16,10	14,90
P04-07600	<b>M199 w: HBSS (10x)</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	21,00	19,40
P03-2110	<b>M199 w: HBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
P03-2150	<b>M199 w: HBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	195,10	179,50
P04-09050	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,10	12,10
P04-08050	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	6,00	5,60
P04-00507	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w/o: Phenol red, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	50,30	46,30
P04-08150	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w: 25 mM HEPES, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,40	8,70
P04-08509	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w: NEAA, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,90	13,80

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P03-7410	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	33,60	31,00
P03-7450	<b>MEM Eagle w: EBSS</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	133,00	122,40
P04-08500	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,10	6,60
P04-00509	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: 1,5 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,70	7,10
P04-00508	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w/o: Phenol red, w: 1,5 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	50,30	46,30
P04-08549	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: 20 mM Hepes, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	53,90	49,60
P04-08510	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: NEAA, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	14,90	13,80
P04-08056	<b>MEM Eagle w: EBSS</b> , w: 2 mM Glutamine, w: 1 mM Pyruvate, w: NEAA, w: 1,5 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,00	13,80
P03-2910	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: NEAA, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	33,60	31,00
P03-2950	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: NEAA, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	133,00	122,40
P03-3010	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: NEAA, w: 25 mM Hepes, w: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	52,90	48,70
P03-3050	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: NEAA, w: 25 mM Hepes, w: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	177,30	163,20
P03-2710	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	33,60	31,00
P03-2750	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	106,30	97,80
P03-2810	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
P03-2850	<b>MEM Eagle w: EBSS</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	177,30	163,20
P04-09500	<b>MEM Eagle w: EBSS</b> , w: stab. Glutamine, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,00	7,40
P04-08250	<b>MEM Eagle w: EBSS</b> , w: stab. Glutamine, w: 25 mM Hepes, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	10,90	10,10
P04-10050	<b>MEM Eagle w: HBSS</b> , w/o: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-10500	<b>MEM Eagle w: HBSS</b> , w: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P04-10599	<b>MEM Eagle w: HBSS</b> , w: L-Glutamine, w: 0,60 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,40	12,40
P03-3310	<b>MEM Eagle w: HBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	53,10	48,90
P03-3350	<b>MEM Eagle w: HBSS</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	177,30	163,20
P04-17500	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	5,90	5,50
P04-16516	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: Phenol red, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,10	6,60
P04-18000	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 25 mM Hepes, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,60	7,00
P04-17510	<b>RPMI 1640 (10x)</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	20,00	18,40
P04-17850	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,60	12,60
P04-22500	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 25 mM Hepes, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,60	12,60
P04-19500	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 20 mM Hepes, w: 0,85 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P04-16151	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: Calcium, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,30	14,10
P04-17599	<b>RPMI 1460</b> , w/o: L-Glutamine, w/o: L-Tryptophan, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,30	14,10
P04-17550	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: Glucose, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,30	14,10
P04-17553	<b>RPMI 1640</b> w/o: Serin, w/o: Glucose, w: L-Glutamine, w: 2.0 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	26,60	24,50

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-21049	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 15 mM Hepes, w/o: Phosphate, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,60	14,40
P03-7210	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	35,40	32,60
P03-7250	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	124,10	114,20
P03-7710	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	35,40	32,60
P03-7750	<b>RPMI 1640</b> , w/o: L-Glutamine, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	124,10	114,20
P03-4410	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	35,40	32,60
P03-4450	<b>RPMI 1640</b> , w/o: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	124,10	114,20
P04-16500	<b>RPMI 1640</b> , w: L-Glutamine, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	5,90	5,50
P04-16515	<b>RPMI 1640</b> , w: L-Glutamine, w/o: Phenol red, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	9,00	8,30
P04-18047	<b>RPMI 1640</b> , w: 2 mM L-Glutamine, w: 1 mM Sodium pyruvate, w: 4,5 g/l Glucose, w: 10 mM Hepes, w: 1.5 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,40	6,90
P04-22100	<b>RPMI 1640</b> , w: L-Glutamine, w: 25 mM Hepes, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	7,60	7,00
P04-19550	<b>RPMI 1640</b> , w: L-Glutamine, w: 20 mM Hepes, w: 0,85 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,50	12,50
P04-17545	<b>RPMI 1640</b> , w: L-Glutamine, w/o: Glucose, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	40,20	37,00
P04-16598	<b>RPMI 1640</b> , w: L-Glutamine, w/o: L-Arginine, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	46,40	42,70
P04-17598	<b>RPMI 1640</b> , w: L-Glutamine, w/o: L-Tryptophan, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,30	14,10
P03-4310	<b>RPMI 1640</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	17,60	16,20
P03-4350	<b>RPMI 1640</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 l	+2°C - +8°C	70,90	65,30
P03-7310	<b>RPMI 1640</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	51,30	47,20
P03-7350	<b>RPMI 1640</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	141,80	130,50
P03-7610	<b>RPMI 1640</b> , w: L-Glutamine, w/o: Phenol red, w/o: NaHCO <sub>2</sub>	10 L	+2°C - +8°C	26,50	24,40
P03-7650	<b>RPMI 1640</b> , w: L-Glutamine, w/o: Phenol red, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	88,60	81,60
P04-18500	<b>RPMI 1640</b> , w: stab. Glutamine, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	6,30	5,80
P04-16520	<b>RPMI 1640</b> , w: stab. L-Glutamine, w/o: Phenol red, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	13,60	12,60
P04-18050	<b>RPMI 1640</b> , w: stab. Glutamine, w: 25 mM Hepes, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	8,60	8,00
P04-18056	<b>RPMI 1640</b> w/o: L-Glutamine, w/o: L-Cystine, w/o: L-Methionine, w: 2.0 g/L NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	26,60	24,50
P04-17546	<b>RPMI 1640</b> , w: stab. Glutamine, w/o: Glucose, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,70	14,50
P04-16530	<b>RPMI 1640</b> , w: stab. Glutamine, w/o: Phenol red, w/o: Glucose, w: 2,0 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	15,70	14,50
P04-90500	<b>Schneider's Drosophila Medium</b> , w/o: L-Glutamine, w: 0,40 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	33,20	30,60
P04-91500	<b>Schneider's Drosophila Medium</b> , w: L-Glutamine, w: 0,40 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	30,80	28,40
P03-9310	<b>Schneider's Drosophila Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	266,00	244,80
P03-9350	<b>Schneider's Drosophila Medium</b> , w/o: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	585,50	538,70
P03-9410	<b>Schneider's Drosophila Medium</b> , w: L-Glutamine, w: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	585,60	538,80
P03-9450	<b>Schneider's Drosophila Medium</b> , w: L-Glutamine, w: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	1475,20	1357,20
P04-93500	<b>TC-100 Insect Medium</b> , w/o: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,50	16,10

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-92500	<b>TC-100 Insect Medium</b> , w: L-Glutamine, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,70	16,30
P03-9610	<b>TC 100 Insect Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	159,60	146,90
P03-9650	<b>TC 100 Insect Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	354,80	326,50
P04-80500	<b>TNM-FH Medium</b> , w: L-Glutamine, w: Lactalbumine-Hydrolysate, w: Yeast extract, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	35,40	32,60
P04-83500	<b>TNM-FH Medium</b> , w: L-Glutamine, w: Lactalbumin-Hydrolysate, w: Yeast extract, w: 10 % Foetal Bovine Serum, w: 0,35 g/l	500 ml	+2°C - +8°C	53,10	48,90
P03-9710	<b>TNM-FH Insect Medium</b> , w/o: L-Glutamine, w: Lactalbumine-Hydrolysate,	10 L	+2°C - +8°C	212,60	195,60
P03-9750	<b>TNM-FH Insect Medium</b> , w/o: L-Glutamine, w: Lactalbumine-Hydrolysate,	50 L	+2°C - +8°C	532,20	489,70
P04-28500	<b>Weymouth's MB 752/1 Medium</b> , w: L-Glutamine, w: 2,24 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	35,40	32,60
P03-4510	<b>Weymouth's MB 752/1 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	159,60	146,90
P03-4550	<b>Weymouth's MB 752/1 Medium</b> , w: L-Glutamine, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	354,80	326,50
P04-29050	<b>William's Medium E</b> , w/o: L-Glutamine, w: 2,24 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,60	16,20
P04-29500	<b>William's Medium E</b> , w: L-Glutamine, w: 2,24 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,60	16,20
P04-29150	<b>William's Medium E</b> , w: stab. Glutamine, w: 2,24 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,60	16,20
P04-29510	<b>William's Medium E</b> , w/o: L-Glutamine, w/o: Phenol red, w: 2,24 g/l NaHCO <sub>3</sub>	500 ml	+2°C - +8°C	17,60	16,20
P03-4810	<b>William's Medium E</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	10 L	+2°C - +8°C	159,60	146,90
P03-4850	<b>William's Medium E</b> , w: L-Glutamine, w: 25 mM Hepes, w/o: NaHCO <sub>3</sub>	50 L	+2°C - +8°C	354,80	326,50
P04-29050S1	<b>William's Medium E</b> , w/o: L-Glutamine, w/o Glucose, w: 2,24 g/L NaHCO <sub>4</sub>	500 ml	+2°C - +8°C	53,10	48,90
P04-00100	<b>Endopan 3 f. endothelial cells</b> w: 3% FBS w: L-Glutamine; ready-to-use	500 ml	+2°C - +8°C	159,60	146,90
P04-0010K	<b>Endopan 3 f. endothelial cells</b> w: 3% FBS w: L-Glutamine (Basic medium 500ml w: 9 supplements)	Kit (500ml Basic)	+2°C - +8°C / -20°C	143,70	132,30
P04-00200	<b>Endopan MV</b> ready to use	500 ml	+2°C - +8°C	143,70	132,30
P04-0020K	<b>Endopan MV</b> kit with 8 supplements	500 ml	+2°C - +8°C / -20°C	143,70	132,30
P04-00700	<b>Endopan PRO</b> , ready-to-use	500 ml	+2°C - +8°C	222,70	204,90
P04-0070K	<b>Endopan PRO</b> kit	Kit (500ml Basal)	+2°C - +8°C / -20°C	222,70	204,90
P04-00600	<b>HEPATOPAN</b> w: 4 supplements	500 ml	+2°C - +8°C	201,60	185,50
P04-740500	<b>MELANOPAN</b> w: 7 supplements	500 ml	+2°C - +8°C	398,10	366,30
P04-00900	<b>NEUROPAN</b> -Basal Medium (Basismedium)	500 ml	+2°C - +8°C	30,40	28,00
P07-07100	<b>NEUROPAN 27</b> supplement 20x	100 ml	-20°C	207,30	190,80
P07-07010	<b>NEUROPAN 27</b> supplement 20x	10 ml	-20°C	37,10	34,20
P07-07200	<b>NEUROPAN 27</b> supplement 50x	100 ml	-20°C	639,80	588,70
P07-07210	<b>NEUROPAN 27</b> supplement 50x	10 ml	-20°C	71,10	65,50
P07-10100	<b>NEUROPAN 27</b> supplement 20x, w/o: Antioxidant	100 ml	-20°C	122,00	112,30
P07-10010	<b>NEUROPAN 27</b> supplement 20x, w/o: Antioxidant	10 ml	-20°C	23,70	21,90
P07-11100	<b>NEUROPAN 2</b> supplement 100 x	100 ml	-20°C	1270,30	1168,70
P07-11010	<b>NEUROPAN 2</b> supplement 100 x	10 ml	-20°C	142,50	131,10



Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P07-20021	<b>NS21 Supplement</b> for neuronal cell culture 50x, sterile	10 ml	-20°C	53,10	48,90
P07-20001	<b>NS21 Supplement</b> for neuronal cell culture 50x, non-sterile	10 ml	-20°C	33,10	30,50
P08-50500	<b>STEMPAN DMEM</b> , w: L-Glutamine, w: 3,7 g/l NaHCO <sub>3</sub> , w/o: LIF	500 ml	+2°C - +8°C	53,10	48,90
P08-50600	<b>STEMPAN GMEM</b> , w: L-Glutamine, w: 2,75 g/l NaHCO <sub>3</sub> , w/o: LIF	500 ml	+2°C - +8°C	53,10	48,90
P04-08049	<b>EMEM Fibroblasts</b>	500 ml	+2°C - +8°C	53,10	48,90
P04-00386	<b>Pantum 386</b> Complete medium for epithelial cells ready-to-use	500 ml	-20°C	90,70	83,50
P04-00024	<b>Pantum L24</b> Complete medium for lymphocytes ready-to-use	500 ml	-20°C	81,50	75,00
P04-00064	<b>Pantum T64</b> Complete medium for tumor cells ready-to-use	500 ml	-20°C	59,70	55,00
P04-00586	<b>Pantum 586A</b> Complete Medium for adherent cells ready-to-use	500 ml	-20°C	90,70	83,50
P04-70100	<b>AMNIOPAN</b>	100 ml	-20°C	54,70	50,40
P04-70101	<b>AMNIOPAN S2</b>	100 ml	-20°C	69,30	63,80
P04-70200	<b>MARROWPAN</b>	100 ml	-20°C	91,30	84,00
P04-70201	<b>MARROWPAN S2</b>	100 ml	-20°C	104,00	95,70
P04-7701K	<b>PowerStem ESPro 1</b> - Serum-free media for mouse ES cells and knockout mice	100ml (Basic Media +	+2°C - +8°C/-20°C	66,90	61,60
P04-77010K	<b>PowerStem ESPro 1</b> - Serum-free media for mouse ES cells and knockout mice	500ml (Basic Media +	+2°C - +8°C/-20°C	200,90	184,90
P04-7751K	<b>PowerStem ESPro 1</b> - Serum-free media for mouse ES cells and knockout mice - (w/o: LIF)	100ml (Basic Media +	+2°C - +8°C/-20°C	55,40	51,00
P04-77510K	<b>PowerStem ESPro 1</b> - Serum-free media for mouse ES cells and knockout mice - (w/o: LIF)	500ml (Basic Media +	+2°C - +8°C/-20°C	158,30	145,70
P04-7702K	<b>PowerStem ESPro 2</b> - Serum-free media for ES and stem cells	100ml (Basic Media +	+2°C - +8°C/-20°C	108,00	99,40
P04-77020K	<b>PowerStem ESPro 2</b> - Serum-free media for ES and stem cells	500ml (Basic Media +	+2°C - +8°C/-20°C	320,30	294,70
P04-7762K	<b>PowerStem ESPro 2</b> - Serum-free media for ES and stem cells - (w/o: LIF)	100ml (Basic Media +	+2°C - +8°C/-20°C	93,80	86,30
P04-77620K	<b>PowerStem ESPro 2</b> - Serum-free media for ES and stem cells - (w/o: LIF)	500ml (Basic Media +	+2°C - +8°C/-20°C	277,00	254,90
P04-77210K	<b>PowerStem EST</b> - Serum-free medium for the embryotoxic stemcell test (EST)	100ml (Basic Media + 3	+2°C - +8°C/-20°C	134,00	123,30
P04-77250K	<b>PowerStem EST</b> - Serum-free medium for the embryotoxic stemcell test (EST)	500ml (Basic Media + 3	+2°C - +8°C/-20°C	400,50	368,50
P04-77110K	<b>PowerStem HE1</b> - Serum-free media for human stem cells	500ml (Basic Media +	+2°C - +8°C/-20°C	249,20	229,30
P04-7712K	<b>PowerStem HE2</b> - Serum-free media for human stem cells	100ml (Basic Media +	+2°C - +8°C/-20°C	127,60	117,40
P04-77120K	<b>PowerStem HE2</b> - Serum-free media for human stem cells	500ml (Basic Media +	+2°C - +8°C/-20°C	324,10	298,20
P04-7713K	<b>PowerStem iPS1</b>	100 ml Kit	+2°C - +8°C/-20°C	93,50	86,10
P04-77130K	<b>PowerStem iPS1</b>	500 ml Kit	+2°C - +8°C/-20°C	250,30	230,30
P04-7714K	<b>PowerStem iPS2</b>	100 ml Kit	+2°C - +8°C/-20°C	127,60	117,40
P04-77140K	<b>PowerStem iPS2</b>	500 ml Kit	+2°C - +8°C/-20°C	324,10	298,20
P04-77310K	<b>PowerStem MSC1</b> - Serum-free medium for human mesenchymal stem cells (huMSC)	100ml (Basic Media +	+2°C - +8°C/-20°C	73,50	67,70
P04-77350K	<b>PowerStem MSC1</b> - Serum-free medium for human mesenchymal stem cells (huMSC)	500ml (Basic Media +	+2°C - +8°C/-20°C	229,70	211,40
P04-77410K	<b>PowerStem HPSC</b> - Serum-free medium for human hematopoietic stem cells	100ml (Basic Media +	+2°C - +8°C/-20°C	356,90	328,40
P04-77450K	<b>PowerStem HPSC</b> - Serum-free medium for human hematopoietic stem cells	500ml (Basic Media +	+2°C - +8°C/-20°C	1071,70	986,00

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-77750K	<b>PowerStem PEC1</b>	Kit (500ml Basal	+2°C - +8°C/-20°C	268,20	246,80
P04-777500	<b>PowerStem PEC1</b> ready-to-use	500 ml	+2°C - +8°C/-20°C	268,20	246,80
P07-02100	<b>HAT</b> supplement (50x)	100 ml	-20°C	17,60	16,20
P07-01100	<b>HT</b> supplement (50x)	100ml	-20°C	17,60	16,20
P05-01100	<b>Hepes</b> buffer 1M	100 ml	+2°C - +8°C	13,30	12,30
P05-01500	<b>Hepes</b> buffer 1M	500 ml	+2°C - +8°C	49,60	45,70
P05-01100P	<b>Hepes</b> – Sodium salt	100 g	+2°C - +8°C	55,90	51,50
P05-01500P	<b>Hepes</b> – Sodium salt	500 g	+2°C - +8°C	248,30	228,50
P04-44100	<b>Sodium</b> bicarbonate 7,5 %	100 ml	+2°C - +8°C	8,40	7,80
P04-43100	<b>Sodium</b> pyruvate 100 mM	100 ml	+2°C - +8°C	14,10	13,00
P07-03100	<b>ITS</b> solution I (100x)	5 ml	-20°C	8,70	8,10
P07-03110	<b>ITS</b> solution I (100x)	10 ml	-20°C	12,30	11,40
P07-03200	<b>ITS</b> solution II (100x) modified composition to ITS solution I	5 ml	-20°C	8,70	8,10
P07-03210	<b>ITS</b> solution II (100x) modified composition to ITS solution I	10 ml	-20°C	34,90	32,20
P07-03400	<b>ITS</b> solution IV (100x) modified composition to ITS solution I	5 ml	-20°C	36,10	33,30
P07-03410	<b>ITS</b> solution IV (100x) modified composition to ITS solution I	10 ml	-20°C	68,80	63,30
P07-04300	<b>Insulin</b> human rec. (10 mg/ml)	10 ml	-20°C	70,90	65,30
P07-04200	<b>Insulin</b> human rec.	100 mg	-20°C	106,30	97,80
P04-991500	<b>Sterile water</b> , for cell culture	500 ml	RT	8,60	8,00
P04-991000	<b>Sterile water</b> , for cell culture	1 L	RT	14,20	13,10
P04-992000	<b>Sterile water</b> , for cell culture	20 L Bag	RT	248,10	228,30
P07-05020	<b>β-Mercapthoethanol</b> 50 mM in PBS	20 ml	+2°C - +8°C	10,50	9,70
P07-05100	<b>β-Mercapthoethanol</b> 50 mM in PBS	100 ml	+2°C - +8°C	31,90	29,40
P10-031100	<b>Tryptose phosphate</b> (50x), 130 g/l Tryptose phosphate in distilled water	100 ml	+2°C - +8°C	25,10	23,10
P08-02100	<b>Pluronic</b> F-68 10 %	100 ml	+2°C - +8°C	10,50	9,70
P06-21100	<b>Human Transferrin</b> apo	100 mg	+2°C - +8°C	121,80	112,10
P06-21500	<b>Human Transferrin</b> apo	500 mg	+2°C - +8°C	502,10	462,00
P06-21000	<b>Human Transferrin</b> apo	1 g	+2°C - +8°C	794,80	731,30
P07-91010	<b>Demecolcin</b> solution 10 µg/ml	10 ml	-20°C	8,70	8,10
P05-39500	<b>Isotonic</b> salt solution	500 ml	+2°C - RT	12,30	11,40
P04-36500	<b>DPBS</b> w/o: Ca and Mg	500 ml	+2°C - RT	5,40	5,00
P04-53500	<b>DPBS</b> (10x) w/o: Ca and Mg	500 ml	+2°C - RT	9,60	8,90
P04-362500	<b>DPBS</b> unsteril, w/o: Ca and Mg	2,5 L	+2°C - RT	7,50	6,90
P04-35500	<b>DPBS</b> w: Ca and Mg	500 ml	+2°C - RT	6,20	5,80

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-37500	<b>DPBS (10x)</b> w: Ca and Mg	500 ml	+2°C - RT	12,30	11,40
P04-36010P	<b>DPBS</b> w/o: Ca and Mg	10 L	+2°C - RT	15,90	14,70
P04-36020P	<b>DPBS</b> w/o: Ca and Mg	20 L	+2°C - RT	28,20	26,00
P04-36050P	<b>DPBS</b> w/o: Ca and Mg	50 L	+2°C - RT	60,20	55,40
P04-3650C	<b>DPBS</b> w/o: Ca and Mg	5 L	+2°C - RT	36,20	33,40
P04-360010B	<b>DPBS</b> w/o: Ca and Mg	10 L	+2°C - RT	62,00	57,10
P04-360020	<b>DPBS</b> w/o: Ca and Mg	20 L	+2°C - RT	97,50	89,70
P04-30500	<b>EBSS</b>	500 ml	+2°C - RT	10,60	9,80
P04-39500	<b>EBSS</b> w/o: Phenol red	500 ml	+2°C - RT	14,20	13,10
P04-31500	<b>EBSS</b> w/o: Ca and Mg, w: 2,2 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	14,20	13,10
P04-38500	<b>EBSS (10x)</b>	500 ml	+2°C - RT	12,80	11,80
P04-47500	<b>EBSS (10x)</b> w/o: Ca and Mg, w/o: Phenol red	500 ml	+2°C - RT	18,10	16,70
P04-30010P	<b>EBSS</b>	10 L	+2°C - RT	124,10	114,20
P04-30050P	<b>EBSS</b>	50 L	+2°C - RT	186,20	171,40
P04-32100	<b>HBSS</b> w: 0,35 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	5,30	4,90
P04-32500	<b>HBSS</b> w: 0,35 g/l NaHCO <sub>4</sub>	500 ml	+2°C - RT	13,20	12,20
P04-49100	<b>HBSS (10x)</b> w/o: NaHCO <sub>3</sub>	100 ml	+2°C - RT	5,30	4,90
P04-49500	<b>HBSS (10x)</b> w/o: NaHCO <sub>4</sub>	500 ml	+2°C - RT	13,20	12,20
P04-33100	<b>HBSS</b> w/o: Ca and Mg, w: 0,35 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	6,80	6,30
P04-33500	<b>HBSS</b> w/o: Ca and Mg, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	16,90	15,60
P04-50100	<b>HBSS (10x)</b> w/o: Ca and Mg, w/o: 0,35 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	14,20	13,10
P04-50500	<b>HBSS (10x)</b> w/o: Ca and Mg, w/o: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	35,40	32,60
P04-32105	<b>HBSS</b> w/o: Phenol red w: 0,35 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	7,00	6,50
P04-32505	<b>HBSS</b> w/o: Phenol red w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	17,60	16,20
P04-49105	<b>HBSS (10x)</b> w/o: Phenol red, w/o: NaHCO <sub>3</sub>	100 ml	+2°C - RT	14,10	13,00
P04-49505	<b>HBSS (10x)</b> w/o: Phenol red, w/o: NaHCO <sub>3</sub>	500 ml	+2°C - RT	35,40	32,60
P04-34100	<b>HBSS</b> w/o: Ca and Mg, w/o: Phenol red, w: 0,35 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	7,00	6,50
P04-34500	<b>HBSS</b> w/o: Ca and Mg, w/o: Phenol red, w: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	17,60	16,20
P04-50105	<b>HBSS (10x)</b> w/o: Ca and Mg, w/o: Phenol red, w/o: 0,35 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	13,20	12,20
P04-50505	<b>HBSS (10x)</b> w/o: Ca and Mg, w/o: Phenol red, w/o: 0,35 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	33,60	31,00
P04-32010P	<b>HBSS</b> w/o: NaHCO <sub>3</sub>	10 L	+2°C - RT	30,00	27,60
P04-32050P	<b>HBSS</b> w/o: NaHCO <sub>3</sub>	50 L	+2°C - RT	88,60	81,60
P04-33010P	<b>HBSS</b> w/o: Ca and Mg, w/o: NaHCO <sub>3</sub>	10 L	+2°C - RT	40,70	37,50
P04-33050P	<b>HBSS</b> w/o: Ca and Mg, w/o: NaHCO <sub>3</sub>	50 L	+2°C - RT	124,10	114,20

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-51100	<b>Puck's Salt</b> Solution A	100 ml	+2°C - RT	7,00	6,50
P04-51500	<b>Puck's Salt</b> Solution A	500 ml	+2°C - RT	17,60	16,20
P04-48100	<b>GBSS</b> w: 2,27 g/l NaHCO <sub>3</sub>	100 ml	+2°C - RT	14,10	13,00
P04-48500	<b>GBSS</b> w: 2,27 g/l NaHCO <sub>3</sub>	500 ml	+2°C - RT	42,50	39,10
P04-48010P	<b>GBSS</b> w/o: NaHCO <sub>3</sub>	10 L	+2°C - RT	124,10	114,20
P04-48050P	<b>GBSS</b> w/o: NaHCO <sub>4</sub>	50 L	+2°C - RT	186,20	171,40
P04-54500	<b>Tyrode's Salt</b> Solution	500 ml	+2°C - RT	17,70	16,30
P04-54010P	<b>Tyrode's Salt</b> Solution, w/o: NaHCO <sub>3</sub>	10 L	+2°C - RT	21,20	19,60
P04-54050P	<b>Tyrode's Salt</b> Solution, w/o: NaHCO <sub>4</sub>	50 L	+2°C - RT	63,80	58,70
P08-2000	<b>BME</b> solution (50x) ,w/o: L-Glutamine	100 ml	+2°C - +8°C	14,10	13,00
P04-80050	<b>L-Glutamine</b> 200 mM	50 ml	-20°C	9,50	8,80
P04-80100	<b>L-Glutamine</b> 200 mM	100 ml	-20°C	14,10	13,00
P04-82050	<b>Stable Glutamine</b> 200 mM (100 x)	50 ml	+2°C - +8°C	17,60	16,20
P04-82100	<b>Stable Glutamine</b> 200 mM (100 x)	100 ml	+2°C - +8°C	26,50	24,40
P04-80025P	<b>L-Glutamine</b> , Powder	25 g	+2°C - +8°C	21,20	19,60
P04-80100P	<b>L-Glutamine</b> , Powder	100 g	+2°C - +8°C	65,50	60,30
P04-80500P	<b>L-Glutamine</b> , Powder	500 g	+2°C - +8°C	207,50	190,90
P04-82010P	<b>Stable Glutamine</b> , Powder	10 g	+2°C - +8°C	53,10	48,90
P08-30100	<b>MEM</b> (50x) w/o: L-Glutamine	100 ml	+2°C - +8°C	12,40	11,50
P08-31100	<b>MEM</b> (50x) w: L-Glutamine	100 ml	+2°C - +8°C	15,90	14,70
P08-32100	<b>MEM</b> NEAA (100x) w/o: L-Glutamine	100 ml	+2°C - +8°C	14,60	13,50
P08-40100	<b>BME</b> vitamins 100 ml	100 ml	-20°C	14,10	13,00
P08-41100	<b>MEM</b> (100x) vitamine solution	100 ml	-20°C	15,80	14,60
P06-03001	<b>Gentamycin</b> sulphate, 10 mg/ml	50 x 1 ml	-20°C	149,90	138,00
P06-03005	<b>Gentamycin</b> sulphate, 10 mg/ml	50 x 5 ml	-20°C	241,30	222,00
P06-03050	<b>Gentamycin</b> sulphate, 10 mg/ml	50 ml	-20°C	34,70	32,00
P06-03100	<b>Gentamycin</b> sulphate, 10 mg/ml	100 ml	-20°C	53,00	48,80
P06-13001	<b>Gentamycin</b> sulphate, 50 mg/ml	50 x 1 ml	-20°C	235,80	217,00
P06-13005	<b>Gentamycin</b> sulphate, 50 mg/ml	50 x 5 ml	-20°C	510,00	469,20
P06-13050	<b>Gentamycin</b> sulphate, 50 mg/ml	50 ml	-20°C	117,00	107,70
P06-13100	<b>Gentamycin</b> sulphate, 50 mg/ml	100 ml	-20°C	162,70	149,70
P06-03001P	<b>Gentamycin</b> sulphate, Powder	1 g	+2°C - +8°C	84,20	77,50
P06-03010P	<b>Gentamycin</b> sulphate, Powder	10 g	+2°C - +8°C	585,50	538,70
P06-03025P	<b>Gentamycin</b> sulphate, Powder	25 g	+2°C - +8°C	1170,90	1077,30



Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P06-04001	<b>Kanamycin</b> sulphate, 5 mg/ml	50 x 1 ml	-20°C	192,00	176,70
P06-04005	<b>Kanamycin</b> sulphate, 5 mg/ml	50 x 5 ml	-20°C	607,50	558,90
P06-04050	<b>Kanamycin</b> sulphate, 5 mg/ml	50 ml	-20°C	44,20	40,70
P06-04100	<b>Kanamycin</b> sulphate, 5 mg/ml	100 ml	-20°C	71,90	66,20
P06-14001	<b>Kanamycin</b> sulphate, 10 mg/ml	50 x 1 ml	-20°C	304,40	280,10
P06-14005	<b>Kanamycin</b> sulphate, 10 mg/ml	50 x 5 ml	-20°C	913,20	840,20
P06-14050	<b>Kanamycin</b> sulphate, 10 mg/ml	50 ml	-20°C	62,00	57,10
P06-14100	<b>Kanamycin</b> sulphate, 10 mg/ml	100 ml	-20°C	106,30	97,80
P06-15001	<b>Kanamycin</b> sulphate, 50 mg/ml	50 x 1 ml	-20°C	608,10	559,50
P06-15005	<b>Kanamycin</b> sulphate, 50 mg/ml	50 x 5 ml	-20°C	2129,10	1958,80
P06-15050	<b>Kanamycin</b> sulphate, 50 mg/ml	50 ml	-20°C	231,50	213,00
P06-15100	<b>Kanamycin</b> sulphate, 50 mg/ml	100 ml	-20°C	390,00	358,80
P06-04010P	<b>Kanamycin</b> sulphate, Powder	10 g	+2°C - +8°C	97,50	89,70
P06-04050P	<b>Kanamycin</b> sulphate, Powder	50 g	+2°C - +8°C	341,60	314,30
P06-01001	<b>Amphotericin B</b> , 250 µg/ml	50 x 1 ml	-20°C	181,00	166,60
P06-01005	<b>Amphotericin B</b> , 250 µg/ml	50 x 5 ml	-20°C	241,90	222,60
P06-01050	<b>Amphotericin B</b> , 250 µg/ml	50 ml	-20°C	32,60	30,00
P06-01100	<b>Amphotericin B</b> , 250 µg/ml	100 ml	-20°C	55,80	51,40
P06-01050P	<b>Amphotericin B</b> , Powder	50 mg	+2°C - +8°C	41,20	38,00
P06-01100P	<b>Amphotericin B</b> , Powder	100 mg	+2°C - +8°C	71,90	66,20
P06-01225P	<b>Amphotericin B</b> water soluble 25 mg, powder	25 mg	+2°C - +8°C	145,00	133,40
P06-01250P	<b>Amphotericin B</b> water soluble 25 mg, powder	50 mg	+2°C - +8°C	242,50	223,10
P06-02010P	<b>Bacitracin</b> , Powder	10 g	+2°C - +8°C	108,50	99,90
P06-02025P	<b>Bacitracin</b> , Powder	25 g	+2°C - +8°C	206,60	190,10
P06-08020	<b>Hygromycin B</b> (50 mg/ml)	20 ml	-20°C	206,00	189,60
P06-08100	<b>Hygromycin B</b> (50 mg/ml)	100 ml	-20°C	962,60	885,60
P06-080050P	<b>Hygromycin B</b> , Powder	50 mg	-20°C	78,70	72,50
P06-080100P	<b>Hygromycin B</b> , Powder	1 g	-20°C	362,50	333,50
P06-05050	<b>Minocyclin</b> , 0,5 mg/ml	50 ml	-20°C	96,30	88,60
P06-05100	<b>Minocyclin</b> , 0,5 mg/ml	100 ml	-20°C	181,60	167,10
P06-02100	<b>Mycorase</b> 50x Solution for Mycoplasma removal	100 ml	-20°C	141,90	130,60
P06-06050	<b>Neomycin sulphate</b> , 10 mg/ml	50 ml	-20°C	25,50	23,50
P06-06100	<b>Neomycin sulphate</b> , 10 mg/ml	100 ml	-20°C	43,30	39,90
P06-06010P	<b>Neomycin sulphate</b> , Powder	10 g	+2°C - +8°C	59,80	55,10

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P06-06025P	<b>Neomycin sulphate</b> , Powder	25 g	+2°C - +8°C	108,50	99,90
P06-06100P	<b>Neomycin sulphate</b> , Powder	100 g	+2°C - +8°C	181,60	167,10
P06-16220	<b>Paneticin G 418</b> , 50 mg/ml	20 ml	-20°C	86,80	79,90
P06-16200	<b>Paneticin G 418</b> , 50 mg/ml	100 ml	-20°C	327,20	301,10
P06-16201P	<b>Paneticin G 418</b> , Powder	1 g	+2°C - +8°C	67,30	62,00
P06-16205P	<b>Paneticin G 418</b> , Powder	5 g	+2°C - +8°C	272,30	250,60
P06-16210P	<b>Paneticin G 418</b> , Powder	10 g	+2°C - +8°C	455,10	418,70
P06-07001	<b>Penicillin</b> /Streptomycin	50 x 1 ml	-20°C	205,40	189,00
P06-07005	<b>Penicillin</b> /Streptomycin	50 x 5 ml	-20°C	241,90	222,60
P06-07050	<b>Penicillin</b> /Streptomycin	50 ml	-20°C	8,30	7,70
P06-07100	<b>Penicillin</b> /Streptomycin	100 ml	-20°C	12,40	11,50
P06-07301	<b>Pen/Strep/Amphotericin B</b> Mix	50 x 1 ml	-20°C	241,30	222,00
P06-07305	<b>Pen/Strep/Amphotericin B</b> Mix	50 x 5 ml	-20°C	302,90	278,70
P06-07350	<b>Pen/Strep/Amphotericin B</b> Mix	50 ml	-20°C	13,80	12,70
P06-07300	<b>Pen/Strep/Amphotericin B</b> Mix	100 ml	-20°C	20,00	18,40
P06-08025P	<b>Penicillin G</b> potassium salt, Powder	25 g	+2°C - +8°C	108,50	99,90
P06-08100P	<b>Penicillin G</b> potassium salt, Powder	100 g	+2°C - +8°C	206,00	189,60
P06-11025P	<b>Streptomycin sulphate</b> , Powder	25 g	+2°C - +8°C	40,40	37,20
P06-11050P	<b>Streptomycin sulphate</b> , Powder	50 g	+2°C - +8°C	59,80	55,10
P06-11100P	<b>Streptomycin sulphate</b> , Powder	100 g	+2°C - +8°C	96,30	88,60
P06-09050	<b>Polymyxin B</b> sulphate, 10.000 Units/ml	50 ml	-20°C	47,60	43,80
P06-12001	<b>Tiamulin</b> (1mg/ml)	50 x 1 ml	-20°C	606,80	558,30
P06-12005	<b>Tiamulin</b> (1mg/ml)	50 x 5 ml	-20°C	2434,60	2239,90
P06-12050	<b>Tiamulin</b> (1mg/ml)	50 ml	-20°C	560,60	515,80
P06-12100	<b>Tiamulin</b> (1mg/ml)	100 ml	-20°C	840,80	773,60
P06-28010	<b>Zeocin</b> (100 mg/ml)	10ml		606,80	558,30
P10-21100	<b>Accutase</b> cell detachment solution, ready-to-use	100 ml	-20°C	54,50	50,20
LS0004194	<b>Collagenase</b> type/Typ I (Worthington – USA origin)	100 mg	+2°C - +8°C	143,60	132,20
LS0004196	<b>Collagenase</b> type/Typ I (Worthington – USA origin)	1 g	+2°C - +8°C	794,50	731,00
LS0004174	<b>Collagenase</b> type/Typ II (Worthington – USA origin)	100 mg	+2°C - +8°C	143,60	132,20
LS0004176	<b>Collagenase</b> type/Typ II (Worthington – USA origin)	1 g	+2°C - +8°C	851,50	783,40
LS0004180	<b>Collagenase</b> type/Typ III (Worthington – USA origin)	100 mg	+2°C - +8°C	143,60	132,20
LS0004182	<b>Collagenase</b> type/Typ III (Worthington – USA origin)	1 g	+2°C - +8°C	851,50	783,40
LS0004186	<b>Collagenase</b> type/Typ IV (Worthington – USA origin)	100 mg	+2°C - +8°C	143,60	132,20

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
LS0004188	<b>Collagenase</b> type/Typ IV (Worthington – USA origin)	1 g	+2°C - +8°C	851,50	783,40
P10-019100	<b>Trypsin</b> 0,25 %/EDTA 0,02 %, in PBS w/o: Ca2+ and Mg2+, w: Phenol red	100 ml	-20°C	8,70	8,10
P10-019500	<b>Trypsin</b> 0,25 %/EDTA 0,02 %, in PBS w/o: Ca2+ and Mg2+, w: Phenol red	500 ml	-20°C	26,50	24,40
P10-020100	<b>Trypsin</b> 0,25 %/EDTA 0,02 % in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	8,70	8,10
P10-020500	<b>Trypsin</b> 0,25 %/EDTA 0,02 % in PBS, w/o: Ca2+ and Mg2+	500 ml	-20°C	26,50	24,40
P10-021100	<b>Trypsin</b> 0.25 % in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	12,30	11,40
P10-021500	<b>Trypsin</b> 0.25 % in PBS, w/o: Ca2+ and Mg2+	500 ml	-20°C	38,70	35,70
P10-022100	<b>(10x) Trypsin 2,5 % in PBS, w/o: Ca2+ and Mg2+</b>	100 ml	-20°C	19,40	17,90
P10-022500	<b>(10x) Trypsin 2,5 % in PBS, w/o: Ca2+ and Mg2+</b>	500 ml	-20°C	58,40	53,80
P10-023100	<b>Trypsin</b> 0,05 %/EDTA 0,02 % in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	5,20	4,80
P10-023500	<b>Trypsin</b> 0,05 %/EDTA 0,02 % in PBS, w/o: Ca2+ and Mg2+	500 ml	-20°C	15,80	14,60
P10-0231SP	<b>Trypsin</b> 0,05 %/EDTA 0,02 % in PBS, w/o: Ca2+ and Mg2+, w: Phenol red	100 ml	-20°C	5,20	4,80
P10-0235SP	<b>Trypsin</b> 0,05 %/EDTA 0,02 % in PBS, w/o: Ca2+ and Mg2+, w: Phenol red	500 ml	-20°C	15,80	14,60
P10-024100	<b>(10x) Trypsin</b> 0,5%/EDTA 0,2% in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	19,40	17,90
P10-024500	<b>(10x) Trypsin</b> 0,5%/EDTA 0,2% in PBS, w/o: Ca2+ and Mg2+	500 ml	-20°C	58,40	53,80
P10-025100	<b>(10x) Trypsin</b> 0,05 %/EDTA 4 Na 5.3 mM w/o Phenol red w/o Ca and Mg	100 ml	-20°C	24,70	22,80
P10-025500	<b>(10x) Trypsin</b> 0,05 %/EDTA 4 Na 5.3 mM w/o Phenol red w/o Ca and Mg	500 ml	-20°C	70,50	64,90
P10-027100	<b>Trypsin</b> 0,05 %/EDTA 0,1 % in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	12,30	11,40
P10-027500	<b>Trypsin</b> 0,05 %/EDTA 0,1 % in PBS, w/o: Ca2+ and Mg2+	500 ml	-20°C	36,20	33,40
P10-028100	<b>Trypsin</b> 0,25 %/ 1 mM EDTA 4 NA in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	15,60	14,40
P10-029100	<b>Trypsin</b> 0,25 %/ 1 mM EDTA in HBSS, w/o: Ca2+ and Mg2+, w: Phenol red	100 ml	-20°C	15,60	14,40
P10-029500	<b>Trypsin</b> 0,25 %/ 1 mM EDTA in HBSS, w/o: Ca2+ and Mg2+, w: Phenol red	500 ml	-20°C	46,00	42,40
P10-038100	<b>Trypsin</b> 0,05 %/EDTA 0,02 % in HBSS, w/o: Ca2+ and Mg2+, w: Phenol red	100 ml	-20°C	12,50	11,50
P10-038500	<b>Trypsin</b> 0,05 %/EDTA 0,02 % in HBSS, w/o: Ca2+ and Mg2+, w: Phenol red	500 ml	-20°C	37,70	34,70
P10-040100	<b>Trypsin</b> 0,05 %/EDTA 4 Na 0,02 % in HBSS, w: phenol red	100 ml	-20°C	14,50	13,40
P10-040500	<b>Trypsin</b> 0,05 %/EDTA 4 Na 0,02 % in HBSS, w: phenol red	500 ml	-20°C	45,60	42,00
P10-100100	<b>Trypsin</b> Special Solution (for ES-cells)	100 ml	-20°C	44,20	40,70
P10-033100	<b>Trypsin</b> Inhibitor (1 mg/ml)	100 ml	-20°C	40,20	37,00
P10-025025P	<b>Trypsin</b> powder (1 : 250) porcine origin	25 g	+2°C - +8°C	91,30	84,00
P10-025100P	<b>Trypsin</b> powder (1 : 250) porcine origin	100 g	+2°C - +8°C	268,00	246,60
P10-025500P	<b>Trypsin</b> powder (1 : 250) porcine origin	500 g	+2°C - +8°C	797,70	733,90
P10-026100	<b>EDTA</b> 1 % in PBS, w/o: Ca2+ and Mg2+	100 ml	-20°C	10,20	9,40
P10-026500	<b>EDTA</b> 1 % in PBS, w/o: Ca2+ and Mg2+	500 ml	-20°C	30,40	28,00
P10-032100	<b>Dispase</b> II neutral proteins, grade II	100 ml	-20°C	226,80	208,70

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
LS0002100	<b>Dispase</b> purified neutral protease	10 mg	+2°C - +8°C	269,40	247,90
P06-20030	<b>Collagen A</b>	1x (6 x 5 ml)	+2°C - +8°C	168,50	155,10
P06-20166	<b>Collagen R</b> 0,2 % sterile solution	20 ml	+2°C - +8°C	on request	on request
P06-20100	<b>Collagen R</b> 0,2 % sterile solution	100 ml	+2°C - +8°C	on request	on request
P06-20020	<b>Collagen R</b> 0,4 % sterile solution	20 ml	+2°C - +8°C	on request	on request
P06-20501	<b>Laminin</b> from mouse	1 mg	-20°C	461,80	424,90
2705005	<b>Fibronectin</b>	5 mg	-20°C	799,60	735,70
2705001S	<b>Fibronectin</b> solution	1 mg/ml	+2°C - +8°C	436,00	401,20
P06-1391050	<b>Bovine Serum Albumin (BSA)</b> Fraction V	50 g	+2°C - +8°C	53,10	48,90
P06-1391100	<b>Bovine Serum Albumin (BSA)</b> Fraction V	100 g	+2°C - +8°C	78,00	71,80
P06-1391500	<b>Bovine Serum Albumin (BSA)</b> Fraction V	500 g	+2°C - +8°C	317,50	292,10
P06-139210	<b>Bovine Serum Albumin (BSA)</b> Protease free	100 g	+2°C - +8°C	150,70	138,70
P06-139250	<b>Bovine Serum Albumin (BSA)</b> Protease free	500 g	+2°C - +8°C	461,20	424,40
P06-139310	<b>Bovine Serum Albumin (BSA)</b> Low Endotoxin	10 g	+2°C - +8°C	22,90	21,10
P06-139350	<b>Bovine Serum Albumin (BSA)</b> Low Endotoxin	50 g	+2°C - +8°C	78,00	71,80
P06-139410	<b>Bovine Serum Albumin (BSA)</b> Fatty acid free	10 g	+2°C - +8°C	22,90	21,10
P06-139450	<b>Bovine Serum Albumin (BSA)</b> Fatty acid free	50 g	+2°C - +8°C	78,00	71,80
P06-0849010	<b>Bovine Serum Albumin (BSA)</b> microbiological grade	10 g	+2°C - +8°C	58,40	53,80
P06-0849050	<b>Bovine Serum Albumin (BSA)</b> microbiological grade	50 g	+2°C - +8°C	175,50	161,50
P06-138110	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, low salt	100 ml	+2°C - +8°C	44,20	40,70
P06-138150	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, low salt	500 ml	+2°C - +8°C	133,00	122,40
P06-138210	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, high salt	100 ml	+2°C - +8°C	44,20	40,70
P06-138250	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, high salt	500 ml	+2°C - +8°C	133,00	122,40
P06-138310	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, High polymer	100 ml	+2°C - +8°C	44,20	40,70
P06-138350	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, High polymer	500 ml	+2°C - +8°C	133,00	122,40
P06-138410	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, Low salt, Preservative free, Protease free	100 ml	-20°C	44,20	40,70
P06-138450	<b>Bovine Serum Albumin (BSA)</b> 30 % solution, Low salt, Preservative free, Protease free	500 ml	-20°C	133,00	122,40
P06-26010	<b>Human Serum Albumin (HSA)</b> US origin	10 g	+2°C - +8°C	70,90	65,30
P06-26025	<b>Human Serum Albumin (HSA)</b> US origin	25 g	+2°C - +8°C	159,60	146,90
P06-26050	<b>Human Serum Albumin (HSA)</b> US origin	50 g	+2°C - +8°C	299,80	275,90
P06-20410	<b>Gelatine solution</b> 0,1 % in PBS	500 ml	+2°C - +8°C	10,10	9,30
P06-25200	<b>Gelatine solution</b> 2 % in PBS	100 ml	+2°C - +8°C	5,00	4,60
P04-60105	<b>Pancoll Pro</b> , Blood Cell separation medium low endotoxin (<0.1 EU/ml)	100 ml	+2°C - +8°C	26,50	24,40
P04-60505	<b>Pancoll Pro</b> , Blood Cell separation medium low endotoxin (<0.1 EU/ml)	500 ml	+2°C - +8°C	63,80	58,70



Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
P04-60100	<b>Pancoll human</b> , density/Dichte 1,077 g/ml	100 ml	+2°C - RT	12,90	11,90
P04-60500	<b>Pancoll human</b> , density/Dichte 1,077 g/ml	500 ml	+2°C - RT	48,90	45,00
P04-64100	<b>Pancoll mouse</b> , density/Dichte 1,086 g/ml	100 ml	+2°C - RT	18,50	17,10
P04-64500	<b>Pancoll mouse</b> , density/Dichte 1,086 g/ml	500 ml	+2°C - RT	80,40	74,00
P04-65100	<b>Pancoll rat</b> , density/Dichte 1,091 g/ml	100 ml	+2°C - RT	17,80	16,40
P04-65500	<b>Pancoll rat</b> , density/Dichte 1,091 g/ml	500 ml	+2°C - RT	70,90	65,30
P04-63100	<b>Pancoll animal</b> , density/Dichte 1,077 g/ml	100 ml	+2°C - RT	16,60	15,30
P04-63500	<b>Pancoll animal</b> , density/Dichte 1,077 g/ml	500 ml	+2°C - RT	70,90	65,30
P04-68100	<b>Pancoll monocytes</b> , density/Dichte 1,068 g/ml	100 ml	+2°C - RT	16,10	14,90
P04-68500	<b>Pancoll monocytes</b> , density/Dichte 1,068 g/ml	500 ml	+2°C - RT	66,60	61,30
P04-67100	<b>Pancoll Platelets</b> , density/Dichte 1,063 g/ml	100 ml	+2°C - RT	14,90	13,80
P04-67500	<b>Pancoll Platelets</b> , density/Dichte 1,063 g/ml	500 ml	+2°C - RT	63,10	58,10
P04-61100	<b>Powercoll</b> , density/Dichte 1,077 g/ml	100 ml	+2°C - RT	53,20	49,00
P04-62100	<b>Powercoll</b> , density/Dichte 1,124 g/ml	100 ml	+2°C - RT	83,70	77,10
P04-60125	<b>Pancoll human</b> , density/Dichte 1,077 g/ml	25 x 50 ml	+2°C - RT	235,40	216,60
P04-60225	<b>Pancoll human</b> , density/Dichte 1,077 g/ml	50 x 10 ml	+2°C - RT	191,60	176,30
P04-63225	<b>Pancoll animal</b> , density/Dichte 1,077 g/ml	50 x 10 ml	+2°C - RT	308,30	283,70
P04-90065S	<b>Panexin SL-S Serum</b> Substitute for HUVEC cultures	25 ml	-20°C	189,00	173,90
P10-0231SF	<b>SL-S Trypsin/EDTA</b>	50 ml	-20°C	14,70	13,60
P10-0331SF	<b>SL-S Trypsin-Inhibitor</b>	50 ml	-20°C	56,90	52,40
P04-300500	<b>SL-S Medium (Working Medium)</b>	500 ml	+2°C - +8°C	129,70	119,40
P06-20650	<b>SL-S Collagen</b> , Optimized Collagen solution (0.01%, sterile) for Coating of culture vessels	25ml	+2°C - +8°C	48,80	44,90
P07-94050	<b>SL-S Cryopan</b> , Optimized Serum-free medium for cryoconservation	25ml	-20°C	92,90	85,50
P60-15840100	<b>Dimethylsulfoxide (DMSO)</b>	100 ml	RT	45,70	42,10
P60-36720100	<b>Dimethylsulfoxide (DMSO)</b> for cell culture	100 ml	RT	64,80	59,70
P07-90050	<b>Freezing</b> medium	50 ml	-20°C	38,90	35,80
P07-92010	<b>Cryopan I</b>	10 ml	-20°C	28,50	26,30
P07-92050	<b>Cryopan I</b>	50 ml	-20°C	112,60	103,60
360050	<b>Barrycidal</b> 36 spray bottle	50 ml		9,20	8,50
360400	<b>Barrycidal</b> 36 dispenser bottle	500 ml		30,20	27,80
361000	<b>Barrycidal</b> 36 spray bottle	1 L		44,10	40,60
365000	<b>Barrycidal</b> 36 can	5 L		115,20	106,00
360000	<b>Barrycidal</b> 36 can	10 L		212,90	195,90
360101	<b>Barrycidal</b> 36 dispenser bottle	100 cloths		24,00	22,10

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
465000	<b>Barrydin</b> can	5 L		236,60	217,70
660000	<b>Desipure</b> can	10 L		251,40	231,30
700500	<b>Spray</b> head for 500 ml bottles			5,20	4,80
701000	<b>Spray</b> head for 1 L bottles			5,20	4,80
710500	<b>Dosage pump</b> for 500 ml bottles			10,50	9,70
720500	<b>Wall-mounted dispenser</b> for 500 ml bottles E24 (short handle)			143,60	132,20
72501	<b>Wall-mounted dispenser</b> for 500 ml bottles ELS24 (long handle)			158,00	145,40
730010	<b>Dosage pump</b> for cans			20,30	18,70
740010	<b>Tap</b> for cans			14,40	13,30
CB-2800007	Hu Adiponectin glycosilated, HEK rec.	2 µg	see datasheet	107,50	98,90
CB-2800008	Hu Adiponectin glycosilated, HEK rec.	10 µg	see datasheet	276,40	254,30
CB-2800001	Hu Adiponectin rec.	5 µg	see datasheet	107,50	98,90
CB-2800002	Hu Adiponectin rec.	25 µg	see datasheet	276,40	254,30
CB-2800010	Hu Adiponectin Trimeric Form rec.	2 µg	see datasheet	107,50	98,90
CB-2800011	Hu Adiponectin Trimeric Form rec.	10 µg	see datasheet	276,40	254,30
P-3610002	Hu Bone Morphogenetic protein-4 rec.	2 µg	see datasheet	107,50	98,90
CB-1113008	Hu Bone Morphogenetic protein-6 rec.	2 µg	see datasheet	107,50	98,90
CB-1113011	Hu Bone Morphogenetic protein-7 rec.	2 µg	see datasheet	107,50	98,90
CB-1113012	Hu Bone Morphogenetic protein-7 rec.	10 µg	see datasheet	276,40	254,30
CB-1115000	Hu Brain-Derived Neurotrophic Factor rec.	2 µg	see datasheet	107,50	98,90
CB-1115001	Hu Brain-Derived Neurotrophic Factor rec.	10 µg	see datasheet	276,40	254,30
CB-1115002	Hu Brain-Derived Neurotrophic Factor rec.	1 mg	see datasheet	on request	on request
CB-1115006	Hu Cardiotrophin-1 rec.	2 µg	see datasheet	107,50	98,90
CB-1515001	Hu Ciliary Neurotrophic Factor rec.	20 µg	see datasheet	276,40	254,30
CB-1101001	Hu EGF rec.	100 µg	see datasheet	107,50	98,90
CB-1101002	Hu EGF rec.	500 µg	see datasheet	276,40	254,30
CB-1101003	Hu EGF rec.	1 mg	see datasheet	491,30	452,00
CB-2015001	Hu Erythropoietin-alpha rec.	50 µg	see datasheet	276,40	254,30
CB-1102010	Hu Fibroblast Growth Factor-acidic rec.	10 µg	see datasheet	107,50	98,90
CB-1102011	Hu Fibroblast Growth Factor-acidic rec.	50 µg	see datasheet	276,40	254,30
CB-1102024	Hu Fibroblast Growth Factor-basic rec.	10 µg	see datasheet	107,50	98,90
CB-1102021	Hu Fibroblast Growth Factor-basic rec.	50 µg	see datasheet	276,40	254,30
CB-1102023	Hu Fibroblast Growth Factor-basic rec.	1 mg	see datasheet	2059,70	1895,00
CB-1119000	Hu Flt3-Ligand rec.	2 µg	see datasheet	107,50	98,90

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
CB-1119001	Hu Flt3-Ligand rec.	10 µg	see datasheet	276,40	254,30
CB-1116001	Hu Glial-Derived Neurotrophic Factor rec.	10 µg	see datasheet	276,40	254,30
CB-2110005	Hu gm-csf/IL-3 Fusion Protein (PIXY321) rec.	10 µg	see datasheet	276,40	254,30
CB-2110000	Hu Granulocyte Macrophage-Colony Stimulating Factor rec.	2 µg	see datasheet	107,50	98,90
CB-2110003	Hu Granulocyte Macrophage-Colony Stimulating Factor rec.	1 mg	see datasheet	on request	on request
CB-2110100	Hu Granulocyte-Colony Stimulating Factor rec.	2 µg	see datasheet	107,50	98,90
CB-2110101	Hu Granulocyte-Colony Stimulating Factor rec.	10 µg	see datasheet	276,40	254,30
CB-1108002	Hu HGF rec.	2 µg	see datasheet	107,50	98,90
CB-1108010	Hu HGF rec.	10 µg	see datasheet	276,40	254,30
CB-1108024	Hu HGF rec.	100µg	see datasheet	638,50	587,50
CB-1108100	Hu HGF rec.	1 mg	see datasheet	8136,80	7485,90
CB-1108003	Hu HGF, CHO, rec.	2 µg	see datasheet	107,50	98,90
CB-1108011	Hu HGF, CHO, rec.	10 µg	see datasheet	276,40	254,30
CB-1104112	Hu Insulin Like Growth Factor-1 rec.	20 µg	see datasheet	107,50	98,90
CB-1104113	Hu Insulin Like Growth Factor-1 rec.	100 µg	see datasheet	276,40	254,30
CB-1104201	Hu Insulin Like Growth Factor-2 rec.	10 µg	see datasheet	107,50	98,90
CB-1104202	Hu Insulin Like Growth Factor-2 rec.	50 µg	see datasheet	276,40	254,30
P-2701002	Hu Insulin rec.	25 mg	see datasheet	87,00	80,10
P-2701001	Hu Insulin rec.	250 mg	see datasheet	613,70	564,70
CB-2120100	Hu Interferon-alpha 1 rec.	2 µg	see datasheet	107,50	98,90
CB-2120101	Hu Interferon-alpha 1 rec.	10 µg	see datasheet	276,40	254,30
CB-2120110	Hu Interferon-alpha 2a rec.	20 µg	see datasheet	107,50	98,90
CB-2120112	Hu Interferon-alpha 2a rec.	100 µg	see datasheet	276,40	254,30
P-2360011	Hu Interferon-beta 1a rec.	2 µg	see datasheet	107,50	98,90
P-2360012	Hu Interferon-beta 1a rec.	10 µg	see datasheet	276,40	254,30
P-2360013	Hu Interferon-beta 1a rec.	1 mg	see datasheet	8049,20	7405,30
CB-2120121	Hu Interferon-beta 1b rec.	10 µg	see datasheet	276,40	254,30
P-2060020	Hu Interferon-gamma rec.	20 µg	see datasheet	107,50	98,90
P-2060100	Hu Interferon-gamma rec.	100 µg	see datasheet	276,40	254,30
P-2061000	Hu Interferon-gamma rec.	1 mg	see datasheet	on request	on request
CB-2130120	Hu Interleukin-1 beta rec.	2 µg	see datasheet	107,50	98,90
CB-2130121	Hu Interleukin-1 beta rec.	10 µg	see datasheet	276,40	254,30
CB-2130123	Hu Interleukin-1 beta, His Tag rec.	5 µg	see datasheet	107,50	98,90
CB-2131000	Hu Interleukin-10 rec.	2 µg	see datasheet	107,50	98,90

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
CB-2131001	Hu Interleukin-10 rec.	10 µg	see datasheet	276,40	254,30
CB-2131201	Hu Interleukin-12 rec.	10 µg	see datasheet	276,40	254,30
CB-2131500	Hu Interleukin-15 rec.	2 µg	see datasheet	107,50	98,90
CB-2131501	Hu Interleukin-15 rec.	10 µg	see datasheet	276,40	254,30
CB-2130201	Hu Interleukin-2 rec.	5 µg	see datasheet	195,40	179,80
CB-2130202	Hu Interleukin-2 rec.	50 µg	see datasheet	276,40	254,30
CB-2130300	Hu Interleukin-3 rec.	2 µg	see datasheet	107,50	98,90
CB-2130301	Hu Interleukin-3 rec.	10 µg	see datasheet	276,40	254,30
CB-2130405	Hu Interleukin-4 rec.	2 µg	see datasheet	107,50	98,90
CB-2130410	Hu Interleukin-4 rec.	20 µg	see datasheet	276,40	254,30
CB-2130501	Hu Interleukin-5 rec.	10 µg	see datasheet	276,40	254,30
CB-2130600	Hu Interleukin-6 rec.	5 µg	see datasheet	107,50	98,90
CB-2130603	Hu Interleukin-6 rec.	20 µg	see datasheet	276,40	254,30
CB-1105001	Hu KGF rec.	10 µg	see datasheet	276,40	254,30
CB-1300058	Hu Leptin rec.	200 µg	see datasheet	107,50	98,90
CB-1106001	Hu Lif rec.	10 µg	see datasheet	276,40	254,30
CB-1117001M	Hu Nerve Growth Factor beta rec.	5 µg	see datasheet	107,50	98,90
CB-1117001	Hu Nerve Growth Factor beta rec.	20 µg	see datasheet	276,40	254,30
CB-4070010	Hu Neuregulin-1/Heregulin-b2 rec.	10 µg	see datasheet	107,50	98,90
CB-1125032	Hu Neurotrophin-3 rec.	10 µg	see datasheet	276,40	254,30
CB-3410010	Hu Platelet Derived Growth Factor-AA rec.	10 µg	see datasheet	276,40	254,30
CB-3410011	Hu Platelet Derived Growth Factor-AA rec.	1 mg	see datasheet	on request	on request
CB-1109301	Hu Platelet Derived Growth Factor-AB rec.	10 µg	see datasheet	276,40	254,30
CB-1109200	Hu Platelet Derived Growth Factor-BB rec.	2 µg	see datasheet	107,50	98,90
CB-1109201	Hu Platelet Derived Growth Factor-BB rec.	10 µg	see datasheet	276,40	254,30
CB-1300118	Hu Resistin rec.	5 µg	see datasheet	107,50	98,90
CB-1110000	Hu Stem Cell Factor rec.	2 µg	see datasheet	107,50	98,90
CB-1110001	Hu Stem Cell Factor rec.	10 µg	see datasheet	276,40	254,30
CB-1110002	Hu Stem Cell Factor rec.	1 mg	see datasheet	on request	on request
CB-1127000	Hu Thrombopoietin rec.	2 µg	see datasheet	107,50	98,90
CB-1127100	Hu TNF-Related Apoptosis Inducing Ligand/Apo2L rec.	10 µg	see datasheet	107,50	98,90
CB-1111131	Hu Transforming Growth Factor-Beta 1 rec.	1 µg	see datasheet	107,50	98,90
CB-1111122	Hu Transforming Growth Factor-Beta 1 rec.	5 µg	see datasheet	276,40	254,30
CB-1111123	Hu Transforming Growth Factor-Beta 1 rec.	100 µg	see datasheet	on request	on request



Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
CB-1111151	Hu Transforming Growth Factor-Beta 3 rec.	2 µg	see datasheet	107,50	98,90
CB-1111153	Hu Transforming Growth Factor-Beta 3 rec.	10 µg	see datasheet	276,40	254,30
CB-1111162	Hu Tumor Necrosis Factor Receptor Fusion Protein rec.	1 mg	see datasheet	on request	on request
CB-1112011	Hu Tumor Necrosis Factor-alpha rec.	10 µg	see datasheet	107,50	98,90
CB-1112012	Hu Tumor Necrosis Factor-alpha rec.	50 µg	see datasheet	276,40	254,30
CB-1114002	Hu Vascular Endothelial Growth Factor (121) rec.	10 µg	see datasheet	276,40	254,30
CB-1114100	Hu Vascular Endothelial Growth Factor rec.	2 µg	see datasheet	107,50	98,90
CB-1114102	Hu Vascular Endothelial Growth Factor rec.	10 µg	see datasheet	276,40	254,30
CB-1114011	Hu Vascular Endothelial Growth Factor Related Protein rec.	10 µg	see datasheet	276,40	254,30
CB-1114013	Hu Vascular Endothelial Growth Factor, CHO rec.	2 µg	see datasheet	107,50	98,90
CB-1117007	Murine beta Nerve Growth Factor	5 µg	see datasheet	107,50	98,90
CB-1117008	Murine beta Nerve Growth Factor	20 µg	see datasheet	276,40	254,30
CB-1214120	Murine EGF rec.	100 µg	see datasheet	107,50	98,90
CB-1214121	Murine EGF rec.	500 µg	see datasheet	276,40	254,30
P-3860001	Murine Fibroblast Growth Factor-basic rec.	10 µg	see datasheet	107,50	98,90
P-3860002	Murine Fibroblast Growth Factor-basic rec.	50 µg	see datasheet	276,40	254,30
CB-2250001	Murine Flt3-Ligand rec.	10 µg	see datasheet	276,40	254,30
CB-2210000	Murine Granulocyte Macrophage-Colony Stimulating Factor rec.	2 µg	see datasheet	107,50	98,90
CB-2210001	Murine Granulocyte Macrophage-Colony Stimulating Factor rec.	10 µg	see datasheet	276,40	254,30
CB-2210002	Murine Granulocyte Macrophage-Colony Stimulating Factor rec.	1 mg	see datasheet	on request	on request
CB-1200000	Murine Granulocyte-Colony Stimulating Factor rec.	2 µg	see datasheet	107,50	98,90
CB-2230030	Murine Interferon-gamma rec.	20 µg	see datasheet	107,50	98,90
CB-2230031	Murine Interferon-gamma rec.	100 µg	see datasheet	276,40	254,30
CB-2230111	Murine Interleukin-1 alpha rec.	10 µg	see datasheet	276,40	254,30
CB-2230120	Murine Interleukin-1 beta rec.	2 µg	see datasheet	107,50	98,90
CB-2230121	Murine Interleukin-1 beta rec.	10 µg	see datasheet	276,40	254,30
CB-2231202	Murine Interleukin-12 rec.	0.1 mg	see datasheet	on request	on request
CB-2230220	Murine Interleukin-2 rec.	5 µg	see datasheet	107,50	98,90
CB-2230221	Murine Interleukin-2 rec.	20 µg	see datasheet	276,40	254,30
CB-2230300	Murine Interleukin-3 rec.	2 µg	see datasheet	107,50	98,90
CB-2230301	Murine Interleukin-3 rec.	10 µg	see datasheet	276,40	254,30
CB-2230302	Murine Interleukin-3 rec.	1 mg	see datasheet	on request	on request
CB-2230403	Murine Interleukin-4 rec.	2 µg	see datasheet	107,50	98,90
CB-2230600	Murine Interleukin-6 rec.	2 µg	see datasheet	107,50	98,90

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
CB-2230601	Murine Interleukin-6 rec.	10 µg	see datasheet	276,40	254,30
CB-2230602	Murine Interleukin-6 rec.	1 mg	see datasheet	on request	on request
P-4390002	Murine MCSF rec.	2 µg	see datasheet	107,50	98,90
P-4390010	Murine MCSF rec.	10 µg	see datasheet	276,40	254,30
CB-1210000	Murine Stem Cell Factor rec.	2 µg	see datasheet	107,50	98,90
CB-1212011M	Murine Tumor Necrosis Factor-alpha rec.	5 µg	see datasheet	107,50	98,90
CB-1212011	Murine Tumor Necrosis Factor-alpha rec.	20 µg	see datasheet	276,40	254,30
CB-1214000	Murine VEGF rec.	2 µg	see datasheet	107,50	98,90
CB-1214001	Murine VEGF rec.	10 µg	see datasheet	107,50	98,90
CB-11000050	ECGS (from bovine hypothalamus)	50 mg	see datasheet	245,70	226,10
CB-2310015	Ovine Prolactin rec.	10 µg	see datasheet	107,50	98,90
CB-2310016	Ovine Prolactin rec.	50 µg	see datasheet	276,40	254,30
CB-2330000	Porcine Granulocyte Macrophage-Colony Stimulating Factor rec.	2 µg	see datasheet	107,50	98,90
CB-2331001	Porcine Interleukin-10 rec.	10 µg	see datasheet	276,40	254,30
CB-2420031	Rat Interferon-gamma rec.	20 µg	see datasheet	107,50	98,90
CB-2420032	Rat Interferon-gamma rec.	100 µg	see datasheet	276,40	254,30
CB-2430122	Rat Interleukin-1 alpha rec.	1 mg	see datasheet	on request	on request
CB-1412011	Rat Tumor Necrosis Factor-alpha rec.	20 µg	see datasheet	276,40	254,30
MB-30010250	Taq DNA Polymerase w: buffer and MgCl <sub>2</sub>	250 Units	-20°C	66,70	61,40
MB-30020250	Taq DNA Polymerase w: buffer and MgCl <sub>2</sub> , w: Phenol red	250 Units	-20°C	76,60	70,50
MB-1100500	PANScript DNA-Polymerase Kit W: 10x NZH4 Reaction Buffer	500 Units	-20°C	187,60	172,60
MB-1100600	PANScript DNA-Polymerase w: 1 n/µl phenol red	500 Units	-20°C	207,80	191,20
MB-1400500	T4 DAN Ligase	500 Units	-20°C	328,30	302,10
MB-1860250	PAN Hot Start DNA Polymerase	250 Units	-20°C	195,80	180,20
MB-1860500	PAN Hot Start DNA Polymerase	500 Units	-20°C	321,30	295,60
MB-1865000	PAN Hot Start DNA Polymerase	5000 Units	-20°C	2412,50	2219,50
PAN721064	PowerScript DNA-Polymerase short range	250 Units	-20°C	251,80	231,70
PAN721065	PowerScript DNA-Polymerase short range	500 Units	-20°C	425,80	391,80
MB-1120250	PowerScript DNA-Polymerase long range	250 Units	-20°C	251,80	231,70
MB-1120500	PowerScript DNA-Polymerase long range	500 Units	-20°C	425,80	391,80
MB-1170250	TrueScript DNA-Polymerase	250 Units	-20°C	292,10	268,80
MB-1170500	TrueScript DNA-Polymerase	500 Units	-20°C	494,80	455,30
MB-4300002	Proteinase K	100 mg	+2°C - +8°C	142,60	131,20
PAN737042	PAN DNA Clean	1 x 5 ml	-20°C	144,40	132,90

Product #	Product	ml/unit	Store at	CHF / Unit	CHF / >20 Units
PAN737046	PAN DNA Clean	2 x 12,5 ml	-20°C	433,40	398,80
PAN741026	Agarose (molecular grade)	100 g	+2°C - +8°C	134,40	123,70
PAN741025	Agarose (molecular grade)	500 g	+2°C - +8°C	391,30	360,00
PAN739025	dNTP set (dA, dC, dG, and dT) 100 mM	4 x 250 µl	-20°C	145,60	134,00
PAN739026	dNTP set (dA, dC, dG, and dT) 100 mM	4 x (4 x 250 µl)	-20°C	489,20	450,10
PAN739043	dNTP Mix (dA + dC + dG + dT) (10 mM each) 40 mM	500 µl	-20°C	73,00	67,20
PAN739028	dNTP Mix (dA + dC + dG + dT) (25 mM each) 100 mM	500 µl	-20°C	126,00	116,00

prices in CHF excl. VAT ex works Schaffhausen

Preise in CHF exkl. MWST ab Werk Schaffhausen

delivery time one week / Lieferzeit 1 Woche \* Min. Quantity lower price / Mindestmenge für Mengenpreis

freezing/cooling surcharge CHF 30.- per delivery / Gefrier/Kühlzuschlag CHF 30.- per Lieferung

purchase orders more than CHF 200.- product value NO admin. surcharge CHF 30.- per delivery

Bestellungen ab CHF 200.- Warenwert ohne Administrations Zuschlag von CHF 30.- pro Lieferung

General terms on [www.bioswisstec.com](http://www.bioswisstec.com)

Allgemeine Geschäftsbedingungen unter [www.bioswisstec.com](http://www.bioswisstec.com)

Plastics / Tissue culture plastic / T-Flasks / Centrifuge tubes etc. see [www.bioswisstec.com](http://www.bioswisstec.com)